



Prokord S/FTP-0122

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	10 m
Jacket material	LSZH

Summary

- ✓ Stable 10G throughput, supports 10000Mbit/s for demanding networks
- ✓ S/FTP foil and braid shields reduce crosstalk and EMI in dense runs
- ✓ Metal-bodied RJ-45 plugs with molded boots give secure, durable mating
- ✓ Supports Power over Ethernet to feed PoE devices without extra wiring
- ✓ 10 m LSZH jacket, black finish, suitable for indoor office and racks

Product description

Why choose this network cable?

Prokord TP-Cable S/FTP gives you stable 10G Ethernet performance with foil-and-braid shielding and Power over Ethernet support, reducing interference in crowded cable runs. The 10 m length and LSZH jacket make it practical for indoor office and rack connections, while metal-bodied RJ-45 plugs and copper conductors help ensure consistent signal quality and reliable mating.

TP-Cable S/FTP in short:

- Cat 6A S/FTP patch cable for 10G Ethernet and Power over Ethernet
- Foil-wrapped pairs and braided outer shield reduce crosstalk and electromagnetic interference in dense installations
- LSZH black jacket and 10 m length for safe indoor routing in offices and equipment racks
- 26 AWG copper conductors and 500 MHz rating support high-frequency patch runs
- Not recommended for outdoor use, check device compatibility with male-to-male RJ-45 patch cables before purchase

Prokord TP-Cable S/FTP

Prokord TP-Cable S/FTP is designed for linking switches, patch panels, servers, and PoE devices where consistent throughput and low interference matter. The shielded pairs and braided outer shield keep noise out of the signal and the metal-bodied RJ-45 plugs with molded strain-relief boots provide secure, durable connections. The LSZH jacket limits smoke and halogen emissions for indoor installations, and the 10 m length gives you flexibility to route between equipment without extra couplers.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	10 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Black

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------