

Prokord S/FTP-0123

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	15 m
Jacket material	LSZH

Summary

- ✓ Cat6A cable delivers 10 Gbps data over 500 MHz for high bandwidth
- ✓ S/FTP shielding cuts EMI and crosstalk, improving signal stability
- ✓ LSZH jacket reduces harmful emissions, safer in confined spaces
- ✓ PoE support powers devices directly, reducing separate power wiring
- ✓ 15 m length with RJ-45 male ends, fits standard network gear

Product description

Why choose this network cable?

Prokord TP-Cable S/FTP is a 15-meter, Cat 6A network cable that delivers reliable high-speed connections while keeping safety and interference control in focus. It supports 10 Gbit/s at 500 MHz, has full S/FTP shielding and LSZH jacket material for low emissions, and includes male RJ-45 connectors plus PoE support to simplify installation and device powering.

Prokord TP-Cable S/FTP in short:

- Cat 6A S/FTP design for stable 10 Gbit/s links, suited for server uplinks and switch-to-switch connections
- LSZH jacket reduces smoke and hazardous gases in enclosed spaces, useful for offices and data halls
- Pre-terminated 15 m cable with male RJ-45 plugs for quick, plug-and-play deployment
- Copper conductor and 26 AWG wiring for consistent signal integrity over the run
- Not rated for outdoor use without additional weatherproofing

Cable details

The Prokord TP-Cable S/FTP combines copper conductors and individual foil shielding plus an overall braid to reduce crosstalk and external interference. Metal-shielded RJ-45 plugs match modern shielded ports and help maintain grounding for the shield. Built-in PoE compatibility lets you power devices such as access points and IP cameras without separate power lines, making deployments cleaner and faster.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	15 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Black
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------