



Prokord S/FTP-0126

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	0.5 m
Jacket material	LSZH

Summary

- ✓ 10G performance at 500MHz supports fast links and bandwidth-heavy apps
- ✓ S/FTP shielding cuts crosstalk and interference for stable connections
- ✓ LSZH jacket reduces toxic fumes in case of fire, for safer rooms
- ✓ 0.5m length fits rack and patch panel work, avoids cable clutter
- ✓ RJ45 connectors with copper leads and PoE support simplify installs

Product description

Why choose this network cable?

Prokord TP-Cable S/FTP provides reliable 10 Gbit/s connectivity for short runs, with S/FTP shielding to minimise interference and maintain consistent data transfer. The LSZH jacket improves safety in confined spaces while PoE support adds flexibility. Its 0.5 m length and shielded RJ-45 connectors make it practical for patch panels and dense rack environments.

Prokord TP-Cable S/FTP in short:

- Cat 6A performance, suited for 10 Gbit/s links over short distances.
- S/FTP shielding and shielded RJ-45 connectors reduce EMI and crosstalk.
- LSZH jacket for low smoke and halogen-free installations.
- Compact 0.5 m length, ideal for switch-to-server and patch panel connections in racks.
- Supports Power over Ethernet, but consider longer cables for more expansive layouts.

About this cable

Prokord TP-Cable S/FTP is a 0.5 m, blue patch cable with male RJ-45 connectors on both ends and 26 AWG copper conductors. The metal-shielded plugs and protective boots give a secure, grounded connection and help prevent connector damage. Use it for tidy, short-distance links in cabinets, racks, and confined installations where reliable shielding and safety-rated jacket materials are important.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	0.5 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Blue
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------