



Prokord S/FTP-0129

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	3 m
Jacket material	LSZH

Summary

- ✓ Supports 10 Gbit/s at 500 MHz for reliable high-bandwidth uplinks
- ✓ S/FTP shielding and metal RJ-45 plugs reduce crosstalk and noise
- ✓ LSZH jacket lowers smoke and halogen risk in enclosed spaces
- ✓ PoE compatibility powers phones, APs and security cameras
- ✓ 3 m length and blue jacket simplify short run routing and ID

Product description

Why choose this cable?

Prokord TP-Cable S/FTP delivers Cat 6A performance for demanding LAN and infrastructure links. It supports 10 Gbit/s at 500 MHz while S/FTP shielding and copper conductors reduce interference. The blue LSZH jacket improves safety in enclosed spaces, and PoE compatibility lets you power devices without separate power cabling.

TP-Cable S/FTP in short:

- Supports 10 Gbit/s at 500 MHz for high-bandwidth links and uplinks.
- S/FTP shielding and metal-shielded RJ-45 connectors reduce crosstalk and external interference.
- Blue LSZH jacket and copper conductors improve safety and maintain signal integrity in enclosed areas.
- PoE compatible, suitable for VoIP phones, access points, and security cameras.
- Consideration: 3 m length is best for short runs and patching, not long-distance cabling.

What this cable does

TP-Cable S/FTP uses male RJ-45 connectors with metal shielding and integrated strain relief, paired with 26 AWG copper conductors to keep connections stable and low-noise. The 3 m blue LSZH jacket makes it easy to route and identify in offices and small server rooms. Use it for short switch-to-device links, rack patching, and any installation where interference suppression and safety in enclosed spaces matter.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	3 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Blue
Jacket material	LSZH
Conductor material	Copper

Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------