



Prokord S/FTP-0131

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	7 m
Jacket material	LSZH

Summary

- ✓ Shielded S/FTP design reduces interference for stable high-speed links
- ✓ Cat6A rated for 10Gbps performance at 500MHz for demanding apps
- ✓ LSZH jacket lowers smoke and halogen risks for safer indoor installs
- ✓ 26 AWG copper conductors and RJ45 plugs ensure reliable connections
- ✓ PoE support powers devices directly, reducing extra power cabling needs

Product description

Why choose this network cable?

Prokord TP-Cable S/FTP is a Cat6A network cable that delivers reliable, high-speed connectivity for demanding indoor installations. It reduces interference with a full S/FTP shield, supports Power over Ethernet to simplify device deployment, and features an LSZH jacket for improved safety during installation and operation.

TP-Cable S/FTP in short:

- Shielded Cat6A patch cable designed for stable 10 Gbit/s links in environments with high cable density.
- Supports PoE, so you can power access points, IP phones, and cameras using the same cable as data.
- 7 m length gives flexible reach between switches, wall outlets, and devices.
- LSZH jacket lowers toxic smoke and corrosive gases in case of fire, suitable for indoor public and office spaces.
- Not recommended for outdoor or exposed installations; best used in controlled indoor environments.

Product details

This Prokord TP-Cable S/FTP connects devices using RJ-45 male connectors on both ends and is built for consistent signal quality over medium runs. The S/FTP shielding and copper conductors help maintain throughput and reduce crosstalk, which is useful in server rooms, office cabling runs, and PoE deployments. The blue LSZH jacket and protective molded boots on the connectors make the cable easier to route and safer to install in occupied buildings.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	7 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Blue
Jacket material	LSZH
Conductor material	Copper

Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------