



Prokord S/FTP-0133

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	15 m
Jacket material	LSZH

Summary

- ✓ Cat 6A S/FTP shielding reduces crosstalk, keeping signals stable
- ✓ 10G data rates at 500MHz handle demanding network traffic
- ✓ LSZH jacket limits smoke and halogen for safer indoor use
- ✓ Supports Power over Ethernet, simplifying device deployment
- ✓ 15m length, 26AWG copper and RJ-45 male ends for reliable reach

Product description

Why choose this network cable?

Prokord TP-Cable S/FTP delivers reliable 10 Gbit/s connectivity with robust S/FTP shielding and PoE support, reducing interference in crowded cabling environments. The 15m length and shielded RJ-45 male connectors make it practical for patching between switches and workstations, while the LSZH jacket enhances safety in enclosed spaces.

TP-Cable S/FTP in short:

- Cat 6A S/FTP design, suitable for 10 Gbit/s networks and frequencies up to 500 MHz, for reliable high-speed links.
- Shielded RJ-45 male-to-male connectors with moulded strain-relief boots, visible metal shielding helps limit electromagnetic interference.
- LSZH jacket in blue, ideal for offices and other environments where low smoke and halogen-free materials are required.
- 15 m length with 26 AWG copper conductors, supporting Power over Ethernet for devices such as access points and IP phones.
- Consideration: not intended for outdoor runs or extreme-temperature installations.

Prokord TP-Cable S/FTP

This accessory provides a straightforward way to extend or connect network equipment. The Cat6A construction and S/FTP shielding maintain signal integrity across the 15 m span, while the copper conductors and PoE compatibility let you both power and network devices from a single cable. The LSZH outer jacket and visible metal-shielded plugs make it a safe and practical choice for rack-to-workstation patching and structured cabling within buildings.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	15 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Blue

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------