



Prokord S/FTP-0134

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	20 m
Jacket material	LSZH

Summary

- ✓ Cat 6A construction delivers 10 Gbit/s links for office networks
- ✓ S/FTP shielding and 500 MHz rating lower crosstalk and EMI
- ✓ LSZH jacket reduces smoke and halogen risks in indoor spaces
- ✓ PoE support powers APs, IP phones and cameras without extra wiring
- ✓ Shielded RJ-45 plugs ensure secure, grounded cabinet links

Product description

Why choose this Ethernet cable?

Prokord TP-Cable S/FTP is a Cat 6A Ethernet cable that delivers reliable 10 Gbit/s connections for office and data-centre environments. Its S/FTP shielding and 500 MHz rating reduce interference for steady throughput. The LSZH jacket improves safety in enclosed spaces, and PoE support lets you power compatible devices without separate power wiring.

TP-Cable S/FTP in short:

- Cat 6A S/FTP design for stable 10 Gbit/s links with reduced crosstalk and EMI.
- LSZH jacket and copper conductors for safer indoor installations and long-lasting performance.
- 20 m length suited to patching between switches and endpoints across medium-sized rooms.
- Supports PoE, useful for access points, IP phones, and cameras to reduce cabling.
- Note: cable is intended primarily for indoor use.

Prokord TP-Cable S/FTP

This blue patch cable features RJ-45 male connectors with metal shielding to help maintain a secure, grounded connection in cabinet and rack setups. The 26 AWG copper conductors balance flexibility and signal integrity, so you can use the cable for routine patching, device links, and powered Ethernet devices without complex installation steps. The LSZH jacket keeps the cable suitable for public and multi-occupancy buildings where low smoke and halogen-free materials are required.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	20 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Blue
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------