



Prokord USBAM-CM 04-LSZH

Data sheet

Core Specs

Cable length	2 m
Connector 1	USB-A
Connector 2	USB-C
Product colour	Black
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
USB Power Delivery up to	15 W

Summary

- ✓ 5 Gbit/s USB 3.2 Gen 1 transfers large files quickly over the 2m cable
- ✓ USB Power Delivery 15W with 3A input powers phones and small devices
- ✓ DisplayPort Alt Mode supports video output from USB-C hosts
- ✓ Low smoke zero halogen jacket reduces toxic fumes in confined spaces
- ✓ Nickel plated contacts and straight moulded ends enhance durability

Product description

Why choose this USB cable?

Prokord USB-cable LSZH gives reliable data transfer and safe charging in environments where low smoke and halogen-free materials are preferred. It combines USB 3.2 Gen 1 speed with Power Delivery charging and DisplayPort alternate mode support, so you can move large files, charge devices, or feed video to a compatible display. The 2 m length and robust jacket make it practical for desks and meeting rooms.

Prokord USB-cable LSZH in short:

- USB-A to USB-C cable, 2 m, for connecting older hosts to modern USB-C devices.
- USB 3.2 Gen 1 performance, up to 5 Gbit/s, suitable for external drives and file transfers.
- Supports USB Power Delivery up to 15W for charging smartphones and small accessories.
- USB-C DisplayPort alternate mode supported on the USB-C end, enabling video when used with a compatible host or adapter.
- LSZH jacket reduces toxic smoke in case of fire, useful in public buildings and enclosed spaces.

Practical use and compatibility

Prokord USB-cable LSZH works well for day-to-day tasks like syncing phones, charging peripherals, and transferring large files between a USB-A host and a USB-C device. The 5 Gbit/s transfer rate keeps backups and media copies efficient. The 15W Power Delivery lets you charge smaller devices safely, while the LSZH jacket and nickel-plated contacts help maintain reliable connections in office and public environments.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Maximum data transfer rate	5 Gbit/s
Max data transfer rate	5000 Mbit/s
Cable length	2 m
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
Connector 1	USB-A
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	USB-C
Connector 2 gender	Male

Connector 2 form factor	Straight
USB Power Delivery	Yes
USB Power Delivery up to	15 W
Product colour	Black
Cable type	Round cable
Cable jacket material	Low smoke zero halogen (LSZH)
Connector contacts plating	Nickel plating
Reversible connectors	No
USB Type-C DisplayPort Alternate Mode	Yes

Power

Input voltage	5V V
Input current (max)	3 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	----------------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	-----------------