



USB-cable LSZH1m USB-A USB-B Black

Data sheet

Summary

- ✓ Low smoke zero halogen jacket for reduced toxic fumes, suitable for offices and public spaces
- ✓ USB-A to USB-B connection, ideal for printers, scanners and other legacy USB-B devices
- ✓ USB 2.0 performance, supporting typical document and peripheral transfers up to 480 Mbit/s
- ✓ 1 m length with straight male connectors and nickel-plated contacts for secure, compact connections
- ✓ Consideration: limited to USB 2.0 speeds and 5 V / 0.5 A power, not intended for high-speed data or high-power charging

Product description

Why choose this USB cable?

Prokord USB-cable LSZH is a reliable and safe connection solution for everyday peripheral links. The 1 m round cable with straight male USB-A and male USB-B connectors gives stable USB 2.0 data transfer while keeping desktop routing tidy. The LSZH jacket reduces toxic smoke and halogen emissions, improving safety in offices and other shared environments.

Prokord USB-cable LSZH in short:

- Low smoke zero halogen jacket for reduced toxic fumes, suitable for offices and public spaces
- USB-A to USB-B connection, ideal for printers, scanners and other legacy USB-B devices
- USB 2.0 performance, supporting typical document and peripheral transfers up to 480 Mbit/s
- 1 m length with straight male connectors and nickel-plated contacts for secure, compact connections
- Consideration: limited to USB 2.0 speeds and 5 V / 0.5 A power, not intended for high-speed data or high-power charging

Product details

Prokord USB-cable LSZH links your computer to USB-B peripherals while keeping setup simple and tidy. It carries data at USB 2.0 speeds and supplies limited power at 5 V and 0.5 A, which suits most printers and scanners but will not support fast charging or high-power devices. The nickel-plated contacts help maintain reliable connections over time, and the single-piece pack makes replacement and inventory straightforward.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Max data transfer rate	480 Mbit/s
Cable length	1 m
USB version	USB 2.0
Connector 1	USB-A
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	USB-B
Connector 2 gender	Male
Connector 2 form factor	Straight

USB Power Delivery	No
USB Power Delivery up to	2.5 W
Product colour	Black
Cable type	Round cable
Cable jacket material	Low smoke zero halogen (LSZH)
Connector contacts plating	Nickel plating
Reversible connectors	No
USB Type-C DisplayPort Alternate Mode	No

Power

Input voltage	5 V
Input current (max)	0.5 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------