



Wall Charger1.8m Black

Data sheet

Summary

- ✓ Integrated 1.8 m USB-C cable for flexible placement at desks, meeting rooms and home offices.
- ✓ 11.25 W maximum output, suitable for steady charging of smartphones and small tablets.
- ✓ Wide 110-230 V input range and AC power source, compatible with varied mains supplies.
- ✓ Compact black indoor charger that is easy to deploy and store.
- ✓ Not intended for outdoor use or extreme environmental conditions.

Product description

Why choose this wall charger?

Prokord Wall Charger provides reliable indoor charging with a compact design and a 1.8 metre integrated USB-C cable. With up to 11.25 W output and a 110-230 V input range, it delivers steady power for phones and small tablets, reducing downtime and giving flexible cable placement in offices and home workspaces.

Prokord Wall Charger in short:

- Integrated 1.8 m USB-C cable for flexible placement at desks, meeting rooms and home offices.
- 11.25 W maximum output, suitable for steady charging of smartphones and small tablets.
- Wide 110-230 V input range and AC power source, compatible with varied mains supplies.
- Compact black indoor charger that is easy to deploy and store.
- Not intended for outdoor use or extreme environmental conditions.

How it works

Prokord Wall Charger connects directly to AC mains and provides a simple plug-and-play charging solution. The integrated USB-C cable and 1.8 metre length let you position devices without extra adapters. The unit maintains stable charging within its 11.25 W output and specified input current, so you can keep devices powered across offices and home setups with minimal fuss.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Performance

Charger type	Indoor
Power source type	AC

Design

Product colour	Black
Cable length	1.8 m

Power

Input voltage	110-230 V
Input current	2.25 A

Maximum power	11.25 W
---------------	----------------

Packaging data

Quantity per pack	1 pc(s)
-------------------	----------------

Logistics data

Harmonized System (HS) code	85044090
-----------------------------	-----------------