



Prokord HD2HD0.5M-LSZH

Data sheet

Core Specs

Cable length	0.5 m
Connector 1	HDMI
Connector 2	Micro HDMI
Product colour	Black
HDMI version	2.0

Summary

- ✓ 0.5m cable keeps desk tidy, ideal for cameras and portable devices
- ✓ HDMI 2.0 delivers 4K 60Hz and HDR for smooth, vibrant video and demos
- ✓ Gold plated contacts with foil and braid shielding keep signals stable
- ✓ Flexible TPE jacket and thin 4.8mm diameter suit tight cable routing
- ✓ 32AWG tinned copper conductors and HDCP support ensure reliable playback

Product description

Why choose this cable?

Prokord Cable HDMI - HDMI Micro 0.5m – HDMI 2.0 delivers a compact, reliable link between micro HDMI devices and standard HDMI displays. It provides stable 4K video at 60 Hz with HDR support, making it useful for quick camera-to-TV hookups, on-site presentations, and direct connections where space is limited.

Cable HDMI - HDMI Micro 0.5m – HDMI 2.0 in short:

- Micro HDMI to standard HDMI male-to-male cable for connecting cameras, tablets, action cameras, or drones to TVs, monitors, and projectors.
- Supports 4Kx2K (3840 x 2160) at 60 Hz with HDR and up to 12-bit colour depth for accurate video playback and review.
- Built for signal integrity, with aluminium foil plus braid shielding and gold-plated contacts to reduce interference and corrosion.
- Compact and durable TPE jacket with a slim 4.8 mm diameter, suitable for portable setups and tight spaces.
- Note: the 0.5 m length is ideal for close-range connections, so check required reach before purchase.

Product details

Cable HDMI - HDMI Micro 0.5m – HDMI 2.0 connects a micro-HDMI output to a full-size HDMI input and carries high-resolution video and audio signals. The cable uses tinned copper conductors and 32 AWG wiring inside a flexible TPE jacket, which keeps the cable lightweight and easy to route. With HDMI 2.0 compliance, HDCP support, and robust shielding, the cable maintains reliable image quality for on-camera monitoring, laptop-to-display connections, and short-run AV installations.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	0.5 m
Connector 1	HDMI
Connector 1 gender	Male
Connector 1 form factor	HDMI
Connector 2	Micro HDMI
Connector 2 gender	Male
Connector 2 form factor	Micro-HDMI
Product colour	Black

HDMI version	2.0
Maximum resolution	4Kx2K pixels
Supported video modes	2160p
Supported graphics resolutions	3840 x 2160
AWG wire size	32AWG
Connector contacts plating	Gold plated
HDCP	Yes
Cable jacket material	TPE
Cable shielding	Aluminium foil + braid
Quantity per pack	1 pc(s)
Data transfer rate	4.5 Gbit/s
High Dynamic Range (HDR) supported	Yes
Maximum refresh rate	60 Hz
Cable material	Tinned copper
Colour depth	12 bit

Weight & dimensions

Cable diameter	4.8 mm
Weight	37 g

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------