




Prokord OM1-LC-LC-15

Data sheet

Core Specs

Connector 1	LC
Connector 2	LC
Fibre optic type	OM1
Connector polish type	UPC
Core diameter	62.5 µm
Cladding diameter	125 µm
Fiber mode structure	Multi-mode
Product colour	Orange

Summary

- ✓ 15m OM1 duplex cable supports reliable short-range multimode links
- ✓ LC to LC UPC connectors reduce back reflection and keep signals stable
- ✓ 62.5/125µm core matches standard multimode gear for easy integration
- ✓ Orange LSZH jacket improves safety and simplifies cable identification

Product description

Why choose this fiber optic cable?

Prokord Fiber Om1 LC-LC 62.5/125 Duplex MM 15.0M delivers dependable short-range connectivity for local area networks. It combines OM1 multimode performance with precision UPC-polished LC connectors and a low smoke zero halogen orange jacket, making it easy to identify and safe to install in enclosed spaces.

Prokord Fiber Om1 LC-LC 62.5/125 Duplex MM 15.0M in short:

- 15 m duplex OM1 multimode cable, ideal for rack-to-rack and room-to-room links.
- LC to LC male connectors with UPC polish for consistent mating and straightforward installation.
- Orange LSZH jacket improves safety and simplifies cable identification in installations.
- 62.5/125 µm core/cladding matches legacy multimode equipment and patch panels.
- Consideration: designed for multimode short-range use, not for single-mode long-distance links.

Product details

Prokord Fiber Om1 LC-LC 62.5/125 Duplex MM 15.0M is a ready-to-deploy patch cable for professional network environments. The duplex LC connectors provide compact, reliable connections at both ends, while the OM1 62.5/125 µm fiber supports common multimode links within data rooms and distribution areas. The UPC polish helps keep insertion loss low, and the LSZH jacket reduces smoke and toxic gas emissions where safety standards demand it.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	15 m
Connector 1	LC
Connector 2	LC
Connector 1 gender	Male
Connector 2 gender	Male
Fibre optic type	OM1
Connector polish type	UPC
Core diameter	62.5 µm
Cladding diameter	125 µm

Fiber mode structure	Multi-mode
Product colour	Orange
Jacket material	LSZH

Logistics data

Harmonized System (HS) code	85447000
-----------------------------	-----------------