



# Large Ceiling Mount For TV/Display

## Data sheet

### Summary

- ✓ Supports single displays from 37" to 80", suitable for meeting rooms, auditoriums and public spaces.
- ✓ Wide VESA compatibility up to 600 x 400 mm, fitting many common display brands and models.
- ✓ Adjustable tilt (-25 to 5°) and 30° rotation, plus a telescopic ceiling tube that extends from 70 to 150 cm for flexible placement.
- ✓ Steel construction with a 50 kg load capacity and integrated cable management for a neat, long-lasting installation.
- ✓ Designed for ceiling installation only, confirm ceiling structure and load capacity before purchase.

# Product description

## Why choose this ceiling mount?

Prokord Large Ceiling Mount For TV/Display gives you a flexible and secure ceiling-mounted solution for displays between 37" and 80". It combines a robust steel frame, wide VESA compatibility and built-in cable management so you can position the screen for clear sightlines while keeping installations tidy and durable.

## Prokord Large Ceiling Mount For TV/Display in short:

- Supports single displays from 37" to 80", suitable for meeting rooms, auditoriums and public spaces.
- Wide VESA compatibility up to 600 x 400 mm, fitting many common display brands and models.
- Adjustable tilt (-25 to 5°) and 30° rotation, plus a telescopic ceiling tube that extends from 70 to 150 cm for flexible placement.
- Steel construction with a 50 kg load capacity and integrated cable management for a neat, long-lasting installation.
- Designed for ceiling installation only, confirm ceiling structure and load capacity before purchase.

## Prokord Large Ceiling Mount For TV/Display

This ceiling mount secures your large display to the ceiling and lets you fine-tune its position for optimal viewing. The bracket accepts a wide range of VESA patterns, which makes it easy to fit different screen models without extra adapters. Tilt and rotation adjustments let you reduce glare and aim the image where people sit. The telescoping tube provides variable drop lengths so you can match room height and sightlines. Built-in cable routing keeps cables hidden and protected, simplifying maintenance and improving safety.

# Technical Specification Matrix

## Header

|              |         |
|--------------|---------|
| Manufacturer | Prokord |
|--------------|---------|

## Mounting

|                              |                                                                                |
|------------------------------|--------------------------------------------------------------------------------|
| Minimum screen size          | 37 "                                                                           |
| Maximum weight capacity      | 50 kg                                                                          |
| Maximum screen size          | 80 "                                                                           |
| Mounting type                | Ceiling                                                                        |
| Minimum VESA mount           | 200 x 200 mm                                                                   |
| Maximum VESA mount           | 600 x 400 mm                                                                   |
| Panel mounting interface     | 200 x 200, 300 x 200, 300 x 300, 400 x 200, 400 x 300, 400 x 400, 600 x 400 mm |
| Number of displays supported | 1                                                                              |

## Ergonomics

|                                    |           |
|------------------------------------|-----------|
| Tilt adjustment                    | Yes       |
| Rotating                           | Yes       |
| Angle of rotation                  | 30 °      |
| Tilt angle range                   | -25 - 5 ° |
| Ceiling mounting tube length (min) | 70 cm     |
| Cable management                   | Yes       |
| Ceiling mounting tube length (max) | 150 cm    |

## Design

|                  |       |
|------------------|-------|
| Product colour   | Black |
| Housing material | Steel |

## Weight & dimensions

|             |         |
|-------------|---------|
| Width       | 1783 mm |
| Depth (max) | 180 mm  |
| Height      | 650 mm  |