



Usb-c Dockingstation Black DisplaylinkUSB-C 3.2 Gen 1 (3.1 Gen 1)

Data sheet

Core Specs

Host interface	USB-C 3.2 Gen 1 (3.1 Gen 1)
DisplayPorts quantity	1
HDMI ports quantity	2

Summary

- ✓ Drive up to three external displays using two HDMI 2.0 ports and one DisplayPort 1.4 at 4K and 60Hz f...
- ✓ 80W USB Power Delivery keeps most laptops charged while connected, and the dock has a dedi...
- ✓ Four USB 3.2 Gen 1 Type-A ports plus the USB-C host support external drives, keyboards, mice and l...
- ✓ Built-in Gigabit Ethernet (RJ-45) and a combo headphone/mic jack provide stable network access...
- ✓ Consider that the dock is not designed for high-end gaming or professional GPUs that need refresh rat...

Product description

Why choose this USB-C docking station?

Prokord PD-DOCK01 is a compact USB-C docking station that reduces cable clutter by centralising video, power, network and peripheral connections. It helps you set up multi-monitor workstations quickly, provides reliable wired networking for stable transfers and meetings, and offers broad OS compatibility for mixed-device environments.

Prokord PD-DOCK01 in short:

- Drive up to three external displays using two HDMI 2.0 ports and one DisplayPort 1.4 at 4K and 60Hz for clear spreadsheets and video calls.
- 80W USB Power Delivery keeps most laptops charged while connected, and the dock has a dedicated 120W power supply for stable operation.
- Four USB 3.2 Gen 1 Type-A ports plus the USB-C host support external drives, keyboards, mice and legacy accessories.
- Built-in Gigabit Ethernet (RJ-45) and a combo headphone/mic jack provide stable network access and basic audio I/O for calls and presentations.
- Consider that the dock is not designed for high-end gaming or professional GPUs that need refresh rates above 60Hz, and 80W Power Delivery may not fully charge some power-hungry 15–17" laptops under heavy load.

Product details

This docking station brings video, USB, audio and wired networking into a single hub so you can connect a laptop with one cable and start work faster. The layout groups two HDMI ports, a DisplayPort, four USB-A ports, an RJ-45 Ethernet jack and a combo audio port for easy access. LED indicators and an on/off switch let you monitor and control power without unplugging. The compact black design fits on most desks and works with Windows, macOS, ChromeOS and iOS for flexible deployment across mixed environments.

Technical Specification Matrix

Header

Manufacturer	Prokord
Model	PD-DOCK01

Ports & interfaces

Connectivity technology	Docking
Host interface	USB-C 3.2 Gen 1 (3.1 Gen 1)
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
USB Power Delivery	Yes
HDMI ports quantity	2

USB Power Delivery up to	80 W
DisplayPorts quantity	1
Microphone in	Yes
HDMI version	2.0
DisplayPort version	1.4
Headphone outputs	1
Combo headphone/mic port	Yes

Performance

Product colour	Black
Number of displays supported	3
HD type	4K/UHD
LED indicators	Yes
On/off switch	Yes
Maximum refresh rate	60 Hz

Network

Ethernet LAN (RJ-45) ports	1
Ethernet LAN	Yes
Ethernet LAN data rates	1000 Mbit/s

Power

Power supply	120 W
--------------	--------------

Weight & dimensions

Width	304 mm
Depth	76 mm
Weight	400 g

Software

Mac operating systems supported	Yes
Windows operating systems supported	Yes
Mac compatibility	Yes
Mobile operating systems supported	iOS
Other operating systems supported	ChromeOS