



Prokord U/FTP-0060

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/FTP
Cable length	1.5 m
Jacket material	LSZH

Summary

- ✓ Shielded Cat 6A cable delivers 10 Gbps at 500 MHz for reliable links
- ✓ U/FTP shielding cuts crosstalk and interference in crowded racks
- ✓ Slim 32 AWG copper core stays flexible, simplifies cable routing
- ✓ LSZH jacket limits smoke and halogen, improving building safety
- ✓ 1.5 m shielded RJ45 patch cable, PoE ready and easy to identify

Product description

Why choose this cable?

Prokord Tp-cable U/ftp Cat.6a Slim Lszh Rj45 1.5M Green gives you dependable 10 Gbit/s performance in a compact, easy-to-route form. Its slim, shielded design reduces interference in crowded racks and patch panels. The LSZH jacket lowers smoke and halogen emissions for safer installations in offices and data centres, while PoE compatibility lets you power devices over the same link.

Prokord Tp-cable U/ftp Cat.6a Slim Lszh Rj45 1.5M Green in short:

- Slim Cat6A patch cable suited for short runs between switches, patch panels, and servers.
- Supports 10 Gbit/s and up to 500 MHz, suitable for high-capacity network and PoE devices.
- U/FTP shielding and metalised RJ45 connectors help maintain signal integrity in noisy environments.
- Light green jacket enables quick visual identification and neat colour-coded cabling.
- Consideration: 32 AWG conductors are thin and best for short, fixed connections rather than long, heavy-duty runs.

Product details

This 1.5 metre cable uses shielded RJ45 male connectors on both ends for secure plug-in connections. The U/FTP construction pairs individually foil-shielded twisted pairs with a drain to limit crosstalk and external interference. The slim 32 AWG copper conductors make the cable flexible and space-efficient, while the LSZH jacket reduces toxic smoke in case of fire and keeps installations compliant with stricter building safety requirements.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1.5 m
Cable standard	Cat 6A
Cable shielding	U/FTP
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Light Green
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	32
Power over Ethernet (PoE)	Yes
Frequency	500 MHz

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------