



Prokord U/FTP-0059

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/FTP
Cable length	1.5 m
Jacket material	LSZH

Summary

- ✓ Supports 10 Gbit/s at 500 MHz for high-speed LAN and server links
- ✓ U/FTP foil shielding reduces crosstalk and external interference
- ✓ Slim LSZH jacket keeps runs neat and lowers smoke risk in enclosed spaces
- ✓ 32 AWG copper conductors add flexibility for tight bends
- ✓ Male RJ45 plugs with snagless boots and PoE support, ideal for short patch

Product description

Why choose this Ethernet cable?

Prokord Tp-cable U/ftp Cat.6a Slim LSZH RJ45 1.5m Grey delivers reliable 10 Gbit/s links in a slim, flexible cable that fits tight racks and crowded desks. The LSZH jacket reduces smoke and toxic emissions in enclosed spaces, while foil shielding around each pair cuts interference for consistent network performance.

Tp-cable U/ftp Cat.6a Slim Lszh Rj45 1.5M Gray in short:

- Supports 10 Gbit/s at up to 500 MHz, suitable for high-speed LAN, server uplinks and multimedia streaming.
- U/FTP shielding reduces crosstalk and external electromagnetic interference for stable links in offices and data centres.
- Slim grey LSZH jacket keeps cable runs neat, improves airflow and lowers smoke and toxic risk in confined or public spaces.
- 32 AWG copper conductors make the cable flexible and easy to route through cable managers and tight bends.
- Male RJ-45 connectors both ends with snagless boots and PoE support, note the 1.5 m length is intended for short patch connections.

Product details

Tp-cable U/ftp Cat.6a Slim Lszh Rj45 1.5M Gray is a short patch cable intended for neat, reliable connections between switches, access points, IP phones and PoE cameras. Its slim profile eases routing in racks and under desks and helps maintain airflow. The LSZH jacket and foil-shielded pairs reduce emission hazards and electromagnetic interference, while shielded RJ-45 plugs with snagless boots give secure, easy-to-handle terminations.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1.5 m
Cable standard	Cat 6A
Cable shielding	U/FTP
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	32
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------