



USB-4 Dual Dockningsstation Dock 8K@30HZUSB4

Data sheet

Core Specs

Host interface	USB4
HDMI ports quantity	2

Product description

Reviews (1)

There is no description for this product.

Prokord

USB-C Hub 4K@60hz HDMI/USB/PD USB-C

Workplace Charging Dockingstation USB-C 5K Dual Monitor 65W USB-C 3.2 Gen 1 (3.1 Gen 1)

Satechi

USB-C Multi-Port Adapter V2 USB-C 3.2 Gen 1 (3.1 Gen 1)

Account benefits

Track your order and view your order history

Save favourites and create comparison lists

An easy way to manage your returns, claims and warranty claims

EcoVadis

EcoVadis is a global platform that evaluates companies' sustainability work. We have achieved the highest rating, EcoVadis Platinum, which puts us in the top 1% of companies assessed.

Copilot+ PC AI laptops

Dustin Sverige AB, Box 1194, 131 27 Nacka Strand. Organisationsnummer: 556666-1012

© 2026 Dustin Group AB. All rights reserved.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Ports & interfaces

Connectivity technology	Wired
Host interface	USB4
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2
HDMI ports quantity	2
USB Power Delivery	Yes
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
USB Power Delivery up to	100 W
USB Power Delivery revision	3.0
HDMI version	1.4b/2.1

Performance

Product colour	Silver
Number of displays supported	2
Country of origin	China
Brand compatibility	Universal

Network

Ethernet LAN (RJ-45) ports	1
Ethernet LAN	Yes
Ethernet LAN data rates	10, 100, 1000 Mbit/s

Power

USB cable length	0.55 m
------------------	--------

Weight & dimensions

Width	170 mm
Depth	55.4 mm
Height	15 mm

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Technical details

Warranty period	2 year(s)
-----------------	-----------