



Wireless Slim Metal Keyboard 295bwl Silver Iso-azertWireless French

Data sheet

Summary

- ✓ Number of devices supported: 4

Product description

Reviews (0)

There is no description for this product.

Account benefits

Track your order and view your order history

Save favourites and create comparison lists

An easy way to manage your returns, claims and warranty claims

EcoVadis

EcoVadis is a global platform that evaluates companies’ sustainability work. We have achieved the highest rating, EcoVadis Platinum, which puts us in the top 1% of companies assessed.

Copilot+ PC AI laptops

Dustin Sverige AB, Box 1194, 131 27 Nacka Strand. Organisationsnummer: 556666-1012

© 2026 Dustin Group AB. All rights reserved.

Technical Specification Matrix

Header

Manufacturer	Voxicon
--------------	---------

Keyboard

Recommended usage	Office
Connectivity technology	Wireless
Device interface	RF Wireless + Bluetooth
Keyboard key switch	Scissor
Keyboard layout	QWERTY
Keyboard language	French
Pointing device	No
Keyboard form factor	Full-size (100%)

Keyboard number of keys	111
Numeric keypad	Yes
Certification	CE, RoHS
Bluetooth version	v5.0
Silent keys	No
Country of origin	China

Design

Backlight	No
Adjustable keyboard height	No
Product colour	White, Silver
Battery LED indicator	Yes
Material	Aluminium

Features

Number of devices supported	4
-----------------------------	---

Power

Power source type	USB
Keyboard battery type	Li-ion
USB Type-C charging port	Yes
Battery life (max)	175 h
Battery capacity	350 mAh
Auto power off	Yes
Rechargeable	Yes
Charging source	USB-C
Battery recharge time	2 h

Mouse

Mouse included	No
----------------	----

System requirements

Windows operating systems supported	Windows
Other operating systems supported	Linux
Mac operating systems supported	MacOS
Linux operating systems supported	Linux

Weight & dimensions

Keyboard dimensions (WxDxH)	440×126×17 mm
Keyboard weight	545 g

Operational conditions

Operating temperature (T-T)	-20~50 °C
Storage temperature (T-T)	-20~65 °C
Operating relative humidity (H-H)	8~90 %
Storage relative humidity (H-H)	8~90 %

Packaging data

Receiver included	Yes
Package width	32 mm
Package depth	454 mm
Package height	135 mm