



Prokord DPC-C14C133B

Data sheet

Core Specs

Cable length	3 m
Connector 1	C14
Connector 2	C13
Product colour	Black

Summary

- ✓ 3m length gives flexibility to place servers and PDUs further apart
- ✓ C14 to C13 connectors match standard IEC power inlets for IT gear
- ✓ Straight female C14 and male C13 ends fit rack PDUs and equipment
- ✓ Durable black jacket blends into server rooms and cable trays
- ✓ Provides reliable connections for servers, UPS and network gear

Product description

Why choose this power cable?

Prokord DPC-C14C133B is a 3 m black power cable that gives a straightforward way to connect devices with IEC C14 inlets to equipment with C13 plugs. It helps you extend reach without rearranging equipment and keeps power runs tidy. The straight C14 and C13 couplers are suited to racks, UPS systems, and desktop power chains where reliable, standard connections are needed.

DPC-C14C133B in short:

- 3 m length for flexible positioning in racks, cabinets, and workspaces.
- IEC C14 (female) to IEC C13 (male) straight couplers for standard mains connections.
- Black finish blends with typical IT equipment and cable management.
- Practical for connecting servers, UPS units, PDUs, and desktop power supplies.
- Consideration: verify inlet orientation and space behind equipment for comfortable routing.

Product details

DPC-C14C133B provides a simple mains link between standard IEC C14 inlets and C13-equipped devices. The straight, moulded couplers plug directly into common server, UPS, and PDU connections, so you can replace or extend power leads quickly. Its 3 m length gives more installation flexibility while keeping runs neat and manageable.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	3 m
Connector 1	C14
Connector 1 gender	Female
Connector 1 form factor	Straight
Connector 2	C13
Connector 2 gender	Male
Connector 2 form factor	Straight
Product colour	Black

Packaging data

Quantity per pack

1 pc(s)

Logistics data

Harmonized System (HS) code

84733080