

# Prokord PUK-CAT6-01-WH

## Data sheet

### Core Specs

|                 |                    |
|-----------------|--------------------|
| Connector 1     | <b>RJ-45</b>       |
| Connector 2     | <b>RJ-45</b>       |
| Cable standard  | <b>Cat 6</b>       |
| Cable shielding | <b>U/UTP (UTP)</b> |
| Cable length    | <b>0.1 m</b>       |

### Summary

- ✓ Short 0.1m length cuts cable clutter in racks and tight installs
- ✓ Right-angled bendable RJ45 boots ease connections in confined areas
- ✓ Cat6 U/UTP design delivers dependable high-speed data transfers
- ✓ Flexible round cable routes neatly for clean, professional setups
- ✓ Single-piece pack suits technicians and short point-to-point links

# Product description

## Why choose this Ethernet cable?

Prokord Ethernet Cat.6 Patch Cable Bendable Rj45 0.1M provides a compact, reliable Cat6 connection for tight installations. Its bendable, low-profile RJ-45 connectors and flexible round jacket make routing simple and keep racks and panels tidy. U/UTP construction helps maintain signal quality in congested cable runs while the short length reduces clutter.

## Ethernet Cat.6 Patch Cable Bendable Rj45 0.1M in short:

- 0.1 m length, ideal for close-proximity patching and linking adjacent ports.
- Bendable, low-profile RJ-45 male connectors for neat routing behind equipment.
- Cat6 performance with U/UTP construction to limit interference on short runs.
- White, round cable for a clean appearance and easy cable management.
- Supplied as a single unit, not suited for long-distance connections or heavy physical stress.

## Design and use

The Prokord Ethernet Cat.6 Patch Cable Bendable Rj45 0.1M is a short, male-to-male patch cable made for connecting devices in confined spaces such as patch panels, switches and wall outlets. The curved connector boots reduce strain and help the cable sit flush in tight setups. Its flexible jacket and U/UTP construction support high-speed local links while keeping installation neat. Sold as one piece, it is best used where short, reliable connections are required rather than for extended runs or rugged environments.

# Technical Specification Matrix

## Header

|              |         |
|--------------|---------|
| Manufacturer | Prokord |
|--------------|---------|

## Features

|                     |             |
|---------------------|-------------|
| Cable length        | 0.1 m       |
| Cable standard      | Cat 6       |
| Cable shielding     | U/UTP (UTP) |
| Connector 1         | RJ-45       |
| Connector 1 gender  | Male        |
| Connector 2         | RJ-45       |
| Connector 2 gender  | Male        |
| Product colour      | White       |
| Connector shielding | No          |

Cable shape

Round

Packaging data

Quantity per pack

1 pc(s)