



Prokord PUK-CAT6-3-WH

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	3 m

Summary

- ✓ Cat6 performance delivers stable gigabit LAN connectivity
- ✓ Right-angled, bendable RJ45 boots reduce port strain
- ✓ White round U/UTP cable keeps indoor installations neat
- ✓ 3m length fits short runs, single pack for easy replacement

Product description

Why choose this patch cable?

Prokord Ethernet Cat.6 Patch Cable Bendable Rj45 3M Wh gives a reliable 3 m Cat6 connection with bendable, right-angled RJ45 boots. It keeps connections stable and reduces strain on ports while making cable routing in tight spaces easier. The white, round U/UTP design provides a neat indoor finish for office and home network setups.

Prokord Ethernet Cat.6 Patch Cable Bendable Rj45 3M Wh in short:

- Cat6 performance for gigabit LANs, suitable for switches, patch panels, routers, and desktop network ports
- Right-angled, bendable RJ45 boots for low-profile routing behind equipment and along walls
- Unshielded U/UTP construction in white for a tidy appearance in indoor installations
- Male-to-male RJ45 connectors, one cable per pack for simple replacement or short extensions
- Consideration: not intended for outdoor use and 3 m length may not suit very large layouts

Cable features

This patch cable makes it easy to tidy or extend network links where space is limited. The flexible, low-profile boots let the cable exit close to surfaces and reduce stress on connectors, helping keep ports secure. Its unshielded Cat6 design supports high-speed wired connections while keeping the installation discreet and unobtrusive.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	3 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	White
Connector shielding	No
Cable shape	Round

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------
