



Prokord DPC-C16-2BLSZH

Data sheet

Core Specs

Cable length	2 m
Connector 1	CEE7/16
Connector 2	C7
Product colour	Black

Summary

- ✓ Connects Europlug mains to C7 devices for portable IT and AV gear
- ✓ 2 m cable length gives flexible placement across desks and racks
- ✓ Low smoke, zero halogen PVC-free jacket reduces toxic gases and smoke
- ✓ Meets IEC 60332-1, IEC 60754-1 and IEC 61034-2 for fire safety
- ✓ Compliant with RoHS, REACH, CE, ENERGY STAR and WEEE for regulated IT use

Product description

Why choose this power cable?

Prokord DPC-C16-2BLSZH provides a reliable, low-emission connection between European mains and small electronics. It combines a practical 2 m length with a low smoke zero halogen jacket for safer use in offices and public spaces. The cable meets common safety and environmental standards, helping you maintain compliance while keeping devices powered with minimal fuss.

DPC-C16-2BLSZH power cable in short:

- 2 m black power cable, ideal for office equipment and small form-factor electronics that use a figure-8 inlet.
- Low smoke zero halogen (LSZH) jacket reduces toxic and corrosive emissions in case of fire, suitable for enclosed spaces.
- Connects CEE7/16 Europlug to IEC C7 figure-8 connector for broad compatibility with consumer and AV devices.
- Certified to IEC 60332-1, IEC 60754-1 and IEC 61034-2, with sustainability marks including REACH, RoHS, CE and ENERGY STAR 9.0.
- Check that your device has an IEC C7 inlet and your local mains uses the CEE7/16 Europlug before ordering.

Product details

The Prokord DPC-C16-2BLSZH is a straightforward replacement or spare power lead for devices with an IEC C7 inlet. The molded connectors and 2 m length make it easy to reach wall outlets without excess cable on the desk. The black LSZH jacket keeps the cable discreet and adds safety benefits for workplace and public installations, while the listed certifications help with regulatory and sustainability requirements.

Technical Specification Matrix

Header

Manufacturer	Prokord
Product Line	LSZH/PVC FREE

Features

Cable length	2 m
Connector 1	CEE7/16
Connector 1 gender	Male
Connector 2	C7
Connector 2 gender	Male
Product colour	Black
Jacket material	LSZH

Certification

IEC 60332-1, IEC 60754-1, IEC 61034-2

Sustainability

Sustainability certificates

ENERGY STAR 9.0, REACH, RoHS, TCO Certified 10.0