



Prokord DPC-C16-3BLSZH

Data sheet

Core Specs

Cable length	3 m
Connector 1	CEE7/16
Connector 2	C7
Product colour	Black

Summary

- ✓ 3m length gives extra reach for flexible device placement.
- ✓ CEE7/16 to C7 connectors provide wide compatibility with chargers.
- ✓ Low smoke, zero halogen jacket reduces toxic fumes in a fire.
- ✓ Meets IEC 60332-1, IEC 60754-1 and IEC 61034-2 safety tests.
- ✓ Complies with RoHS, REACH, CE, EPEAT Gold and ENERGY STAR.

Product description

Why choose this power cable?

Prokord DPC-C16-3BLSZH power cable Black 3 m CEE7/16 IEC C7 provides a safe, flexible connection between Europlug mains and IEC C7 devices. The 3 m length improves placement options, while the low smoke zero halogen jacket reduces toxic emissions in enclosed or public spaces. It meets multiple safety and sustainability standards, simplifying procurement and compliance.

DPC-C16-3BLSZH power cable Black 3 m CEE7/16 IEC C7 in short:

- 3 m length for flexible device placement in meeting rooms, AV setups, and workstations.
- CEE7/16 (Europlug) to IEC C7 figure-8 connectors, both male, for small power adapters and consumer electronics.
- Low smoke zero halogen (LSZH) jacket reduces smoke and corrosive gases, suitable for enclosed or public environments.
- Wide certification and sustainability coverage, including IEC 60332-1, IEC 60754-1, IEC 61034-2, REACH, RoHS, CE, EPEAT Gold, ENERGY STAR 9.0, WEEE, and TCO 10.0.
- Check compatibility with your device inlet and regional mains, this cable fits devices with an IEC C7 inlet and countries using the CEE7/16 Europlug.

Practical use

The DPC-C16-3BLSZH is a straightforward replacement or spare cable for equipment that uses a figure-8 IEC C7 inlet, such as small power bricks, AV components, and consumer electronics in office environments. The LSZH jacket and broad compliance make it suitable where fire safety and environmental requirements are part of procurement criteria. Its black finish blends into most professional installations.

Technical Specification Matrix

Header

Manufacturer	Prokord
Product Line	LSZH/PVC FREE

Features

Cable length	3 m
Connector 1	CEE7/16
Connector 1 gender	Male
Connector 2	C7
Connector 2 gender	Male
Product colour	Black

Jacket material

LSZH

Certification

IEC 60332-1, IEC 60754-1, IEC 61034-2

Sustainability

Sustainability certificates

ENERGY STAR 9.0, EPEAT Gold, REACH, RoHS, TCO Certified 10.0