



Prokord DPC-C5-3BLSZH

Data sheet

Core Specs

Cable length	3 m
Connector 1	CEE7/7
Connector 2	C5
Product colour	Black

Summary

- ✓ LSZH
- ✓ PVC Free

Product description

Why choose this power cord?

Prokord POWERCORD PVC FREE 3M provides a PVC-free, low-smoke power connection that reduces toxic emissions and supports safer evacuation conditions. Its 3 m length adds reach for flexible workstation layouts. Choose it when material safety and broad environmental certification matter for procurement or compliance.

POWERCORD PVC FREE 3M in short:

- PVC-free LSZH jacket reduces smoke and halogen release, suitable for offices, classrooms, and data centers.
- 3 m length gives extra reach for laptop power bricks, docking stations, and remote equipment.
- CEE7/7 to C5 connectors ensure compatibility with European mains outlets and devices using a cloverleaf inlet.
- Meets IEC 60332-1, IEC 60754-1 and IEC 61034-2 and carries REACH, RoHS, CE, ENERGY STAR 9.0, EPEAT Gold and WEEE certifications.
- Check device inlet type before purchase to confirm C5 compatibility.

Product details

The Prokord POWERCORD PVC FREE 3M connects equipment with a C5 inlet to CEE7/7 mains outlets while keeping material and fire-safety concerns to a minimum. The low smoke zero halogen jacket limits harmful gases and residues if a fire occurs, which helps protect sensitive equipment and people in enclosed spaces. A black finish keeps routing discreet, and the included safety and sustainability certifications simplify integration into regulated environments.

Technical Specification Matrix

Header

Manufacturer	Prokord
Product Line	LSZH/PVC FREE

Features

Cable length	3 m
Connector 1	CEE7/7
Connector 1 gender	Male
Connector 2	C5
Connector 2 gender	Male
Product colour	Black
Jacket material	LSZH
Certification	IEC 60332-1, IEC 60754-1, IEC 61034-2

Sustainability

Sustainability certificates	ENERGY STAR 9.0, EPEAT Gold, REACH, RoHS, TCO Certified 10.0
-----------------------------	---
