



Prokord DPC-C14/C13-3BLSZH

Data sheet

Core Specs

Cable length	3 m
Connector 1	C14
Connector 2	C13
Product colour	Black

Summary

- ✓ Standard IEC C14 to C13 connection fits servers, PDUs and UPS
- ✓ 3m length gives flexible reach for rack and workstation layouts
- ✓ Low smoke zero halogen jacket reduces toxic fumes in fires
- ✓ Meets IEC 60332-1, 60754-1 and 61034-2 for flame and smoke safety
- ✓ RoHS, REACH and EPEAT Gold certification supports sustainable IT choices

Product description

Why choose this power cable?

Prokord DPC-C14/C13-3BLSZH power cable Black 3 m IEC C14 IEC C13 provides a simple, reliable power connection for servers, UPS units and network equipment. The LSZH jacket reduces smoke and corrosive gases in fire scenarios, improving safety in racks and offices. Its standard IEC C14 to C13 connectors make installation fast and compatible with most mains-powered IT devices.

DPC-C14/C13-3BLSZH power cable Black 3 m IEC C14 IEC C13 in short:

- Connects IEC C14 male power sources to IEC C13 female inlets, suitable for racks, UPS systems and desktop equipment.
- 3 m length allows flexible routing behind cabinets and between equipment.
- Low smoke zero halogen jacket lowers toxic emissions and helps meet safety requirements in enclosed spaces.
- Certified to IEC 60332-1, IEC 60754-1 and IEC 61034-2 for fire safety.
- Compliant with REACH, RoHS, CE, EPEAT Gold, ENERGY STAR 9.0 and other sustainability standards; check connector compatibility with your devices before ordering.

DPC-C14/C13-3BLSZH power cable Black 3 m IEC C14 IEC C13

This Prokord cable uses a durable LSZH jacket to limit harmful smoke and halogen release, making it suitable for data centres, office environments and other enclosed spaces where safety is a priority. The male C14 to female C13 connection fits common IT power inlets, so you can replace or extend power runs without adapter changes. Certifications and environmental compliance support procurement policies that require restricted substances and recognised eco labels.

Technical Specification Matrix

Header

Manufacturer	Prokord
Product Line	LSZH/PVC FREE

Features

Cable length	3 m
Connector 1	C14
Connector 1 gender	Male
Connector 2	C13
Connector 2 gender	Female
Product colour	Black
Jacket material	LSZH

Certification

IEC 60332-1, IEC 60754-1, IEC 61034-2

Sustainability

Sustainability certificates

ENERGY STAR 9.0, EPEAT Gold, REACH, RoHS, TCO Certified 10.0