



Prokord DPC-C14C52B

Data sheet

Core Specs

Cable length	2 m
Connector 1	C14
Connector 2	C15
Product colour	Black

Summary

- ✓ 2m cable length gives flexible placement between rack and device
- ✓ C14 to C13 connectors ensure easy, standard IEC power hookups
- ✓ Straight male and female plugs reduce stress and simplify routing
- ✓ Durable black jacket blends into server rooms for a tidy setup

Product description

Why choose this power cable?

Prokord Power Cable Jumper C14/C13 2.0m Black provides a simple and reliable way to link equipment with IEC C13 and C14 sockets. The 2.0 m length gives flexibility for rack and cabinet layouts, while the straight molded connectors and black jacket help keep installations neat and easy to manage. It is a practical, low-cost option for service and maintenance tasks.

Power Cable Jumper C14/C13 2.0m Black in short:

- C14 to C13 connectors in straight form, compatible with standard IEC power sockets.
- 2.0 m length, useful for connecting adjacent devices in racks or cabinets.
- Black colour for discreet routing and consistent rack aesthetics.
- Molded ends with strain relief for frequent handling and reliable contact.
- Consideration: check that your equipment uses IEC C13/C14 connections before purchase.

Product details

This cable is designed for short power runs between power distribution units and IT equipment in server rooms and network cabinets. The C14 and C13 connectors make it suitable for common servers, switches, and PDUs. The molded connector housings and flexible jacket simplify installation and reduce wear from repeated plugging. Use it when you need a dependable, straightforward jumper cable for routine power connections.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	2 m
Connector 1	C14
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	C15
Connector 2 gender	Female
Connector 2 form factor	Straight
Product colour	Black

Packaging data

Quantity per pack

1 pc(s)

Logistics data

Harmonized System (HS) code

84733080