



Wall Charger 20W PD/QC3.0White

Data sheet

Summary

- ✓ Fast charger 20W
- ✓ USB-PD (Power Delivery)
- ✓ QuickCharge 3.0
- ✓ GaN technology
- ✓ USB-A and USB-C ports
- ✓ Compatible with all types of mobile devices

Product description

Key features:

- Fast charger 20W
- USB-PD (Power Delivery)
- QuickCharge 3.0
- GaN technology
- USB-A and USB-C ports
- Compatible with all types of mobile devices

Cirafon Wall Charger 20W USB-C + USB-A

The Cirafon Wall Charger with 1xUSB-C and 1xUSB-A allows you to quickly charge one or two mobile devices at the same time, without the risk of overheating or short circuit. It is an approved fast charger for both iPhone (with USB-C to Lightning cable) and Android devices with fast charging support.

Fast charge your smartphone

Charge your smartphone up to 50% in just 30 minutes. With USB Power Delivery (USB-PD) technology, you get a more efficient and faster charge when using a compatible charger.

USB-PD Power Delivery

USB-PD is a modern charging technology that offers fast and powerful charging, with power from 0.5 W up to 100 W. This technology automatically adjusts the voltage depending on the device you connect, making it ideal for mobiles, tablets and computers.

GaN technology

GaN (Gallium Nitride) chargers use a semiconductor material that allows the same capacity as traditional silicon-based chargers but in a smaller and more compact format.

Maximum Power Output

- USB-C port: Max 20W
- USB-A port: Max 18W
- Both USB-C and USB-A ports simultaneously: Max 10W per port

Cirafon wall chargers combine advanced technology with practical functionality to give you a reliable and fast charging experience.

Technical Specification Matrix

Header

Manufacturer	Cirafon
Model	CC-CUTNA-20-W

Performance

Charger type	Indoor
Charger compatibility	Mobile phone, Portable gaming console, Tablet
Power source type	AC
USB 2.0 ports quantity	1
USB Type-C ports quantity	1
Fast charging	Yes
USB Power Delivery	Yes
Fast charging technology	Power Delivery, Power Delivery 3.0, Quick Charge 3.0
USB Power Delivery revision	3.0
Number of simultaneously connected devices (max)	2
Power protection features	Overcharge, Overheating, Overload

Design

Product colour	White
LED indicators	Power
Housing material	Plastic
Illuminated USB port	No

Power

Input voltage	230 V
Input frequency	60 Hz

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Weight & dimensions

Width	48.5 mm
Depth	84.5 mm
Height	27.7 mm