




Displayport cable 50-pack2m DisplayPort DisplayPort Black

Data sheet

Summary

- ✓ Bulk pack of 50 cables, suited to rollouts and IT inventory stocking.
- ✓ 2 m male-to-male DisplayPort 1.2 cables for workstation and rack connections.
- ✓ Supports up to 4Kx2K at 60 Hz and MST for daisy-chained displays.
- ✓ Gold-plated contacts, tinned copper conductors, and aluminium foil plus braid shielding for stable signal transmission.
- ✓ LSZH/TPE jacket and HDCP support for safer installations and protected-content compatibility.

Product description

Why choose this DisplayPort cable?

Prokord DisplayPort cable 50-pack provides reliable, cost-efficient DisplayPort 1.2 connections for office and AV deployments. These 2 m black cables support 4Kx2K at 60 Hz and Multi-Stream Transport for multi-monitor setups. The LSZH/TPE jacket and aluminium foil plus braid shielding improve safety and signal integrity, while the 50-piece pack speeds up large installations and stock management.

Prokord DisplayPort cable 50-pack in short:

- Bulk pack of 50 cables, suited to rollouts and IT inventory stocking.
- 2 m male-to-male DisplayPort 1.2 cables for workstation and rack connections.
- Supports up to 4Kx2K at 60 Hz and MST for daisy-chained displays.
- Gold-plated contacts, tinned copper conductors, and aluminium foil plus braid shielding for stable signal transmission.
- LSZH/TPE jacket and HDCP support for safer installations and protected-content compatibility.

Main functions

Prokord DisplayPort cable 50-pack links DisplayPort-equipped PCs, laptops, and graphics cards to monitors, projectors, and video walls. DisplayPort 1.2 compliance allows high-resolution video and 60 Hz refresh rates, while MST enables multi-display configurations from a single output. The cable's construction, including gold-plated contacts, tinned copper conductor, and robust shielding, helps preserve signal quality during installation and repeated use.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	2 m
Connector 1	DisplayPort
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	DisplayPort
Connector 2 gender	Male
Connector 2 form factor	Straight
Product colour	Black

Maximum resolution	4Kx2K pixels
Connector contacts plating	Gold plated
DisplayPort version	1.2
Cable material	Tinned copper
Maximum refresh rate	60 Hz
HDCP	Yes
Data transfer rate	5.4 Gbit/s
Cable shielding	Aluminium foil + braid
Jacket material	LSZH, TPE
AWG wire size	30AWG
High Dynamic Range (HDR) supported	No
Multi-Stream Transport (MST)	Yes

Packaging data

Cable diameter	6 mm
Weight	102 g
Quantity per pack	50 pc(s)

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------