



Workplace Portreplicator Dual DP QHD Display 96WUSB-C 3.2 Gen 1 (3.1 Gen 1)

Data sheet

Core Specs

Host interface	USB-C 3.2 Gen 1 (3.1 Gen 1)
DisplayPorts quantity	2
HDMI ports quantity	1

Summary

- ✓ DP1.2 HBR2: 1x 4K@30, 2x FHD@60, 3x FHD@30
- ✓ DP1.4 HBR3: 1x 4K@60, 2x QHD@60, 3x FHD@60
- ✓ DP1.4 HBR3 DSC: 1x 5K@60, 2x 4K@60, 3x 4K@30

Product description

Prokord Portreplicator Dual DP 96W

Discover the power of a universal laptop docking station with USB-C connectivity. The Prokord Portreplicator Dual DP 96W turns your laptop into a powerful workstation, no matter where you are. Its compact design takes up minimal desktop space while providing all the ports you need for an efficient workday.

USB Power Delivery 3.0 (96W)

If your computer supports USB-PD, you can easily and conveniently charge it via the docking station with up to 96W of power.

Support for a total of three monitors

Connect up to three monitors to the docking station. The resolution automatically adjusts depending on the number of connected monitors and which version of DisplayPort your computer supports.

- DP1.2 HBR2: 1x 4K@30, 2x FHD@60, 3x FHD@30
- DP1.4 HBR3: 1x 4K@60, 2x QHD@60, 3x FHD@60
- DP1.4 HBR3 DSC: 1x 5K@60, 2x 4K@60, 3x 4K@30

Ports:

- 3 x USB 3.0 Type A
- 2 x DisplayPort
- 1 x HDMI
- 1 x RJ45 10/100/1000 Mbps
- 1 x USB 3.1 Gen 2 Type C
- 1 x 3.5 mm Mic/Audio

For a neat and smooth installation behind the screen, buy the perfect accessory [HERE](#) (sold separately).

Please note: The VESA mounting bracket is not included with this product.

Technical Specification Matrix

Header

Manufacturer	Prokord
Model	DPG2070V3

Ports & interfaces

Connectivity technology	Wired
Host interface	USB-C 3.2 Gen 1 (3.1 Gen 1)

USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3
HDMI ports quantity	1
USB Power Delivery	Yes
USB Power Delivery up to	96 W
USB Power Delivery revision	3.0
DisplayPorts quantity	2
HDMI version	2.0
DisplayPort version	1.2
Headphone connectivity	3.5 mm
Combo headphone/mic port	Yes
DC-in jack	Yes

Performance

Product colour	Black
Card reader integrated	No
Cable lock slot type	Kensington
Cable lock slot	Yes
Country of origin	China
Rubber feet	Yes
Brand compatibility	Universal

Network

Ethernet LAN (RJ-45) ports	1
Ethernet LAN	Yes
Ethernet LAN data rates	10, 100, 1000 Mbit/s
Wake-on-LAN ready	Yes

Power

Output voltage	20 V
Power source type	DC
AC input voltage	220 V
Output current	6.75 A
AC input frequency	60 Hz
Power supply	135 W
USB cable length	1 m

Weight & dimensions

Width	190 mm
Depth	85 mm
Height	27 mm

Packaging content

Cables included	USB Type-C
AC adapter included	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Technical details

Warranty period	2 year(s)
-----------------	-----------