



Prokord UTP-0111-7M

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/UTP (UTP)
Cable length	7 m
Jacket material	LSZH

Summary

- ✓ Cat6A rated, 10Gbps at 500MHz for high bandwidth applications
- ✓ RJ-45 male to male plugs enable simple plug and play connections
- ✓ Unshielded UTP design keeps installation flexible and cost effective
- ✓ LSZH jacket reduces toxic smoke for safer indoor installations
- ✓ 7m length, 26AWG copper conductors support reliable PoE delivery

Product description

Why choose this patch cable?

Prokord Cat 6A RJ-45 Patch Cable, 7 m, grey, LSZH. This cable delivers 10 Gbit/s performance and 500 MHz bandwidth for demanding local area networks. The low smoke zero halogen jacket reduces toxic fumes in enclosed spaces. Power over Ethernet support means you can supply and connect devices with a single cable.

Prokord Cat 6A Patch Cable in short:

- 10 Gbit/s, 500 MHz performance for high-throughput links such as switches, servers, and NAS.
- LSZH jacket for safer use in offices, comms rooms, and public buildings.
- PoE compatible for IP phones, wireless access points, and security cameras.
- RJ-45 male to male, pre-terminated, 7 m length for rack-to-desk and patch panel runs.
- U/UTP unshielded design, suited to standard office environments; consider shielded cabling in high electromagnetic interference areas.

Product details

Prokord Cat 6A Patch Cable uses 26 AWG copper conductors and standard RJ-45 connectors to provide stable connections and consistent throughput. The unshielded twisted pair construction keeps the cable flexible and easy to route through trays and behind racks. Supplied as a single 7 m cable, it fits short to medium runs where high bandwidth and PoE are required.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	7 m
Cable standard	Cat 6A
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey
Jacket material	LSZH
Conductor material	Copper

Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------