



Prokord S/FTP1.5WHT

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	1.5 m
Jacket material	LSZH

Summary

- ✓ Stable 10 Gbps performance at 500 MHz supports demanding network loads.
- ✓ S/FTP shielding cuts interference, boosting signal stability.
- ✓ LSZH jacket limits toxic fumes, safer for enclosed office spaces.
- ✓ 1.5m length and white finish keep patching tidy in office and rack setups.
- ✓ PoE support powers devices directly, reducing cabling and install costs.

Product description

Why choose this network cable?

Prokord TP-CABLE S/FTP CAT.6A LSZH RJ45 1.5M WHITE delivers reliable, high-speed connectivity for short patch runs. It supports 10,000Mbit/s at 500MHz, uses S/FTP shielding to minimise interference, and has an LSZH jacket for safer indoor use. Copper conductors and PoE compatibility help ensure steady power and data delivery to access points, IP phones, and compact rack connections.

Prokord TP-CABLE S/FTP CAT.6A LSZH RJ45 1.5M WHITE in short:

- 10,000Mbit/s at 500MHz, suitable for high-throughput patching between switches, patch panels, and workstations.
- S/FTP shielding reduces electromagnetic interference in dense cabling environments.
- Low smoke zero halogen (LSZH) jacket improves safety in enclosed spaces like comms rooms and offices.
- PoE compatible with copper conductors and 26 AWG wiring, suitable for powering access points and IP devices.
- 1.5 m length is compact for short runs, not intended for long-distance cabling.

Product details

This Cat6A patch cable features RJ45 male connectors on both ends and is supplied as a single unit per pack. The S/FTP construction helps maintain signal integrity in crowded installations, while the LSZH jacket meets indoor safety requirements. Use this cable when you need a short, dependable connection for switches, wall outlets, or PoE devices in office or rack environments.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1.5 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	White
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------