



Prokord S/FTP1.5RED

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	1.5 m
Jacket material	LSZH

Summary

- ✓ Cat6A design supports 10 Gbit/s at 500 MHz for high bandwidth needs
- ✓ S/FTP shielding reduces crosstalk and EMI, keeping connections stable
- ✓ LSZH jacket limits smoke and toxins, ideal for safe, enclosed spaces
- ✓ 1.5 m length fits tight racks and desks, red jacket aids cable ID
- ✓ 26 AWG copper with male RJ45 ends ensures reliable PoE and data delivery

Product description

Why choose this network cable?

Prokord S/FTP1.5RED networking cable Red 1.5 m Cat6a S/FTP (S-STP) delivers reliable 10 000 Mbit/s connectivity with effective shielding and a low-smoke zero halogen jacket, offering a safe and easy-to-manage patch solution for short runs. The red colour improves visibility in crowded cabinets, while PoE support reduces the need for separate power wiring.

S/FTP1.5RED networking cable Red 1.5 m Cat6a S/FTP (S-STP) in short:

- Cat6A performance with S/FTP shielding, suited for 10 Gbit/s links and high-density environments.
- LSZH jacket improves safety in confined or public spaces by reducing smoke and toxic gases.
- 1.5 m length works well for patch panels, switch-to-device connections, and tidy rack organization.
- Supports Power over Ethernet, simplifying deployment of access points and IP devices.
- Consider that this 1.5 m cable is intended for short connections and not long-distance runs.

Product details

The S/FTP1.5RED cable uses copper conductors with 26 AWG and shielded RJ-45 male connectors to maintain signal integrity and reduce electromagnetic interference. The S/FTP (S-STP) construction limits crosstalk in demanding installations, and the cable is rated to 500 MHz for consistent throughput. You can use it to link switches, patch panels, servers, and PoE devices where a short, clearly identified cable saves space and simplifies maintenance.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1.5 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Red
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------