



Prokord S/FTP1.5BLE

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	1.5 m
Jacket material	LSZH

Summary

- ✓ 10Gbps at 500MHz for reliable, low-latency network links
- ✓ S/FTP shielding reduces interference for stable data transfer
- ✓ LSZH jacket limits smoke and toxic gases in confined spaces
- ✓ PoE support powers devices over the cable, cutting extra wiring
- ✓ 1.5m patch length with 26 AWG copper for consistent signal quality

Product description

Why choose this networking cable?

Prokord S/FTP1.5BLE networking cable Blue 1.5 m Cat6a S/FTP (S-STP) provides shielded, high-throughput connectivity for short links in offices, server racks, and industrial control rooms. It supports 10,000 Mbit/s at 500 MHz for demanding data transfers. The S/FTP shielding and metal RJ-45 plugs reduce electromagnetic interference, and the LSZH jacket improves safety in enclosed spaces. PoE support simplifies device installations.

S/FTP1.5BLE networking cable Blue 1.5 m Cat6a S/FTP (S-STP) in short:

- S/FTP shielding and metal RJ-45 connectors reduce EMI, useful near servers, switches, and industrial equipment.
- 1.5 m length is suited for patching between switches, patch panels, and desktop devices.
- LSZH jacket limits smoke and toxic gases, appropriate for offices and public buildings.
- Supports Power over Ethernet, so you can power cameras, access points, and VoIP phones over the same cable.
- Designed for 10 Gbit/s networks at 500 MHz, for high-bandwidth applications.

Product details

This Prokord cable uses copper conductors and a 26 AWG wire size for consistent signal quality and reliable mating with RJ-45 ports. The shielded pairs and overall braid provide stable performance in environments with electrical noise. The flexible LSZH jacket and strain-relief boots make installation neat and durable for short indoor runs where safety and space are priorities.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1.5 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Blue

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------