



Prokord S/FTP1.5YLW

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	1.5 m
Jacket material	LSZH

Summary

- ✓ Cat6A rated, supports 10 Gbit/s at 500 MHz for high bandwidth links
- ✓ S/FTP shielding reduces EMI, improving signal reliability in busy racks
- ✓ LSZH jacket lowers smoke and halogen, enhancing fire safety indoors
- ✓ 1.5m length keeps short, tidy runs between switches and patch panels
- ✓ Male RJ45 plugs and copper conductors deliver reliable PoE and data

Product description

Why choose this cable?

Prokord TP-CABLE S/FTP CAT.6A LSZH RJ45 1.5M YELLOW gives you reliable, high-speed connections with enhanced safety and interference protection. The Cat6a standard and copper conductors support demanding network traffic, while the S/FTP shielding and LSZH jacket reduce interference and smoke risk in enclosed spaces. Its 1.5 m length is convenient for patching between equipment and wall outlets.

Prokord TP-CABLE S/FTP CAT.6A LSZH RJ45 1.5M YELLOW in short:

- S/FTP shielding and metalised connectors reduce electromagnetic interference for stable links.
- LSZH jacket lowers smoke and toxic gas output, suitable for offices and data centres.
- 1.5 m length fits rack-to-patch and desk-to-wall connections without excess cable.
- Supports Power over Ethernet for devices like IP phones and access points.
- Not intended for outdoor use, plan alternative cabling for external runs.

Cable details

Prokord TP-CABLE S/FTP CAT.6A LSZH RJ45 1.5M YELLOW combines 26 AWG copper conductors with Cat6a performance to support 10 Gbit/s at 500 MHz, making it suitable for high-bandwidth links and PoE deployments. The moulded boot and strain relief protect the RJ-45 plugs during frequent moves and re-patching, while the shielded connectors help maintain signal integrity in environments with multiple electrical sources.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1.5 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Yellow
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------