




Prokord UTP-CAT6-3BL

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	3 m
Jacket material	LSZH

Summary

- ✓ Cat6 U/UTP cable delivers up to 10Gbit/s at 250MHz for fast networks
- ✓ 3m length fits typical office patching between desk and switch
- ✓ LSZH jacket limits smoke and toxic fumes in enclosed spaces
- ✓ PoE compatible, powers phones, APs and cameras without extra wiring
- ✓ 26 AWG copper conductors with RJ45 plugs ensure stable connections

Product description

Why choose this networking cable?

Prokord UTP-CAT6-3BL networking cable Blue 3 m U/UTP (UTP). This Cat 6 patch cable provides reliable, high-speed links for switches, routers, patch panels and PoE devices. The 3 m length keeps setups neat and reduces excess cable clutter. An LSZH jacket lowers smoke and toxic emissions in confined spaces, helping meet safety requirements in offices and telecom rooms.

UTP-CAT6-3BL in short:

- Cat 6 patch cable for fast Ethernet connections, ideal for desktop links, network racks and PoE endpoints.
- Supports up to 10 Gbit/s and 250 MHz, suitable for Gigabit networks and many short-distance 10 Gigabit uses.
- LSZH jacket reduces smoke and toxic gases, useful in enclosed or public spaces.
- RJ-45 male-to-male connectors with 26 AWG copper conductors for consistent signal quality.
- Unshielded U/UTP construction, not recommended for environments with high electromagnetic interference.

Product details

UTP-CAT6-3BL is a Prokord 3 m Cat 6 Ethernet patch cable built for everyday network connections. It supports Power over Ethernet, so you can power phones, wireless access points and cameras over the same cable used for data. The flexible blue LSZH jacket and molded boots make it easy to route through racks and trays while protecting the connector latch for repeated use. Sold as a single piece for straightforward deployment.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	3 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Blue
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------