



HDMI to DisplayPort Adapter 4K 60Hz (USB-A Power)HDMI + USB Type-A DisplayPort Black

Data sheet

Summary

- ✓ HDMI to DisplayPort adapter
- ✓ Up to 4K @60Hz
- ✓ HDMI 2.0 to DisplayPort 1.2
- ✓ USB-A for external power
- ✓ Support for HDR and HDCP 1.4/2.2

Product description

PROKORD HDMI to DisplayPort Adapter 4K 60Hz (USB-A Power)

The PROKORD HDMI to DisplayPort Adapter makes it easy to connect a device with an HDMI output to a DisplayPort monitor. A perfect solution for workplaces where you need to connect modern or older devices to different types of displays.

Connect HDMI to DisplayPort

The adapter converts the signal from HDMI to DisplayPort, allowing you to use a DisplayPort monitor even if your device only has an HDMI output.

4K resolution at 60Hz

Support for up to 4K @60Hz provides a sharp and smooth image, perfect for work, presentations, and media.

Stable signal with external power

The adapter uses USB-A for power, ensuring stable image transmission even at high resolution and during extended use.

Wide compatibility

Works with laptops, desktop computers, and other devices with an HDMI output, and connects easily to DisplayPort monitors.

Compact and convenient design

The flexible cable and compact form factor make the adapter easy to use both in the office and on the go.

Key features

- HDMI to DisplayPort adapter
- Up to 4K @60Hz
- HDMI 2.0 to DisplayPort 1.2
- USB-A for external power
- Support for HDR and HDCP 1.4/2.2
- Stable signal transmission up to 18 Gbps
- Compact and portable design
- Plug & play

Summary

A convenient solution for connecting HDMI devices to DisplayPort monitors with high image quality and stable

performance.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Connector 1	HDMI + USB Type-A
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	DisplayPort
Connector 2 gender	Female
Product colour	Black
HDMI version	2.0
DisplayPort version	1.2
Connector contacts plating	Gold
HDCP	Yes
HDCP version	1.4
Supported graphics resolutions	3840 x 2160
Maximum resolution	3840 x 2160 pixels
Maximum refresh rate	60 Hz
Plug and Play	Yes
Data transfer rate	18 Gbit/s
Country of origin	China

Packaging data

Package weight	350 g
Package type	Box
Package width	117 mm
Package depth	158 mm
Package height	23 mm