



Workplace Portreplicator Dual DP QHD Display 85WUSB-C 3.2 Gen 1 (3.1 Gen 1)

Data sheet

Core Specs

Host interface	USB-C 3.2 Gen 1 (3.1 Gen 1)
DisplayPorts quantity	2
HDMI ports quantity	1

Technical Specification Matrix

Header

Manufacturer	Prokord
Model	DPG-2070

Ports & interfaces

Connectivity technology	Wired
Host interface	USB-C 3.2 Gen 1 (3.1 Gen 1)

USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3
HDMI ports quantity	1
USB Power Delivery	Yes
USB Power Delivery up to	85 W
USB Power Delivery revision	3.0
DisplayPorts quantity	2
HDMI version	2.0
DisplayPort version	1.2
Headphone connectivity	3.5 mm
Combo headphone/mic port	Yes
DC-in jack	Yes

Performance

Product colour	Black
Card reader integrated	No
Cable lock slot type	Kensington
Cable lock slot	Yes
Country of origin	China
Rubber feet	Yes

Network

Ethernet LAN (RJ-45) ports	1
Ethernet LAN	Yes
Ethernet LAN data rates	10, 100, 1000 Mbit/s

Power

Power source type	DC
Output voltage	20 V
Output current	5 A
AC input voltage	220 V
AC input frequency	60 Hz
Input current	5 A
Power supply	100 W
USB cable length	1 m

Weight & dimensions

Width	190 mm
Depth	85 mm
Height	27 mm

Packaging content

Cables included	USB Type-C
AC adapter included	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Technical details

Warranty period	2 year(s)
-----------------	-----------