

CHERRY MX BOARD 1.0 TKL



Models may vary from the image shown

TKL - space-saving gaming pro

The CHERRY MX BOARD 1.0 TKL - for more space on your desk. The compact high-performance keyboard in proven MX quality guarantees gaming enjoyment. With laser-etched key caps and extra sturdy, non-slip mounting feet for custom height adjustment in 3 steps.

Key benefits

- Mechanical cabled keyboard with TKL layout in a comfortable size for more space on your desk
- Additional feet for non-slip grip and custom height adjustment in 3 steps
- CHERRY MX technology - Gold Crosspoint precision switches for all keys "Made in Germany"
- Dimmable white key illumination G80-3811 (unlit version G80-3810 optional)
- Full N-Key rollover - all keys are read simultaneously
- Anti-ghosting - no inputting errors
- WIN key lockout
- Illuminated USB plug
- Abrasion-resistant, laser-etched keycaps
- Elegant logo application

Technical Data:

Layout (country or language):

(possible country/layout versions, others available on request)
US English with EURO symbol

Housing colour:

black

Key colour:

black

Weight (product):

approx. 730 g

Total weight (with packaging):

approx. 988 g

Cable Length:

approx. 1.80 m

Storage Temperature:

-20°C to 60°C

Operating Temperature:

0°C to 50°C

Current Consumption:

max. 150 mA

Interface:

- USB

Product approvals:

- cURus
 - CE
 - FCC
 - BSMI
- 

System requirements:

- USB connection

Delivery Volume:

- CHERRY MX BOARD 1.0 TKL
- Operating instructions in hard copy

Dimensions (product):

370 x 150 x 25 mm

Packaging dimensions:

395 x 205 x 35 mm

Keyboard:

- Key technology: MX
- Service life, standard key: > 50 million key operations
- Operation characteristics: Product dependant, see table "Models"
- Inscription technology: Laser
- Inscription layout: Standard
- Number of Keys: 87
- Number of additional keys: 4

Packaging Unit:

- Number of products in the master package: 14

Warranty:

2 years

Errors, technical changes and delivery possibilities excepted.
Technical information refers only to the specifications of the products. Features may differ from the information provided.


Models:

(possible country/layout versions, others available on request)


	Product name	Order number	EAN code	Operation characteristics ¹
1	CHERRY MX BOARD 1.0	G80-3810LSAEU-2	4025112087912	BLUE SWITCH Click pressure point (60cN)
2	CHERRY MX BOARD 1.0	G80-3810LUAEU-2	4025112087929	BLACK SWITCH Linear (60 cN)
3	CHERRY MX BOARD 1.0	G80-3810LXAEU-2	4025112087936	BROWN SWITCH Pressure point (55cN)
4	CHERRY MX BOARD 1.0 TKL	G80-3810LYAEU-2	4025112087943	RED SWITCH Linear (45 cN)
5	CHERRY MX BOARD 1.0//Backlight	G80-3811LSAEU-2	4025112087950	BLUE SWITCH Click pressure point (60cN)
6	CHERRY MX BOARD 1.0//Backlight	G80-3811LUAEU-2	4025112087967	BLACK SWITCH Linear (60 cN)
7	CHERRY MX BOARD 1.0//Backlight	G80-3811LXAEU-2	4025112087974	BROWN SWITCH Pressure point (55cN)
8	CHERRY MX BOARD 1.0//Backlight	G80-3811LYAEU-2	4025112087981	RED SWITCH Linear (45 cN)

¹Operation characteristics:


• BLACK SWITCH Linear (60 cN)



• BLUE SWITCH Click pressure point (60cN)



• RED SWITCH Linear (45 cN)



• BROWN SWITCH Pressure point (55cN)

