

RAZER DEATHADDER V2 PRO

MASTER GUIDE

With over 10 million DeathAdders sold, the most successful gaming mouse of all time enters its next evolution—ushering a new age of unrivalled wireless ergonomics. Powered by ultra-fast Razer HyperSpeed Wireless for total freedom of movement, and an improved shape for greater handling and comfort.

CONTENTS

1. WHAT'S INSIDE / WHAT'S NEEDED	3
2. LET'S GET YOU COVERED	4
3. TECHNICAL SPECIFICATIONS	5
4. GETTING STARTED	6
5. CONFIGURING YOUR RAZER DEATHADDER V2 PRO	12
6. SAFETY AND MAINTENANCE	33
7. LEGALESE	35

1. WHAT'S INSIDE / WHAT'S NEEDED

WHAT'S INSIDE

Razer DeathAdder V2 Pro









- A. Left mouse button
- B. Right mouse button
- C. Scroll wheel
- D. DPI stage up
- E. DPI stage down
- F. Mouse button 5
- G. Mouse button 4
- H. Ultraslick mouse feet
- I. Wireless USB dongle compartment
- J. Razer™ Focus+ 20K DPI Optical Sensor
- K. Profile indicator
- L. Profile button

- M. Mouse dock connector*
- N. Slider switch
 - Bluetooth mode
 - Power off mode
 - Razer[™] HyperSpeed Wireless (2.4 Ghz) mode
- O. Wireless USB dongle

*Mouse dock sold separately.

■ Razer[™] Speedflex charging cable



USB dongle adapter



- Important Product Information Guide
- **1** The DPI stages are as follows: 400, 800, 1600 (default), 3200 and 6400. The DPI stages can be customized using Razer Synapse.

WHAT'S NEEDED

PRODUCT REQUIREMENTS

PC with a free USB port or Bluetooth 5.0 connectivity

RAZER SYNAPSE REQUIREMENTS

- Windows[®] 7 64-bit (or higher)
- Internet connection for software installation

2. LET'S GET YOU COVERED

You've got a great device in your hands, complete with a 2-year limited warranty coverage. Now maximize its potential and score exclusive Razer benefits by registering at <u>razerid.razer.com</u>



Got a question? Ask the Razer Support Team at <u>support.razer.com</u>

3. TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATIONS

- True 20,000 DPI Focus+ optical sensor with 99.6% resolution accuracy
- Up to 650 inches per second (IPS) / 50 G acceleration
- Advanced Lift-off/Landing distance customization
- Razer[™] Optical Mouse Switches rated for 70M clicks
- Dual wireless HyperSpeed (2.4Ghz) and BLE
- (7+1)independently programmable buttons
- 100% PTFE mouse feet (0.8mm thick)
- Ergonomic right-handed design with textured side-grips.
- Gaming-grade tactile scroll wheel
- On-The-Fly Sensitivity Adjustment (Default stages : 400/800/1600/3200/6400)
- Advanced on-board memory (4+1 profiles)
- Razer Synapse 3 enabled
- Powered by Razer Chroma[™] RGB with true 16.8 million customizable color options
- Inter-device color synchronization
- 1.8 m / 6 ft Speedflex cable for charging and wired use
- Razer Mouse charging dock compatible
- Battery Life : Approximately 70 hours with HyperSpeed wireless, 120 hours with BLE (estimates without lighting, battery life depends on usage settings)

APPROXIMATE SIZE & WEIGHT

- Length: 127 mm / 5.0 in
- Width: 72.6 mm / 2.86 in
- Height: 42.7 mm / 1.68 in
- Weight*: 88 g / 0.194 lbs

*Excluding cable and dongle.

4. GETTING STARTED

CHARGING YOUR MOUSE

Plug the charging cable from your computer's USB port to your Razer DeathAdder V2 Pro. For best results, please fully charge the mouse before using it for the first time. A depleted battery will be fully charged in approximately 4 hours. This connection also acts as the wired mode for your Razer device.



The Razer DeathAdder V2 Pro requires a USB connection that can supply sufficient power to charge the device. The charging process may be affected when connecting to a non-powered USB hub or non-powered USB port mostly found on keyboards and peripherals. It's recommended to always connect the Razer DeathAdder V2 Pro directly to the USB port of your computer.

LOW POWER INDICATOR

The Razer logo will blink red twice in repeated intervals to indicate that its battery's power is less than 5%. This lighting sequence will repeat until the battery is drained or the mouse is connected to the PC via the charging cable.



CONNECTING YOUR MOUSE

VIA RAZER™ HYPERSPEED WIRELESS (2.4 GHZ) MODE

1. Remove the compartment cover from the mouse to remove the wireless USB dongle.



2. Reattach the compartment cover and insert the wireless USB dongle into the USB port of your PC.





3. Push the slider switch to Razer[™] HyperSpeed Wireless (2.4 GHz) mode.



Your Razer DeathAdder V2 Pro is now ready for use in wireless mode.

VIA BLUETOOTH MODE

1. Push the slider switch to Bluetooth mode (*).



2. Press and hold the two side buttons and the DPI stage up button simultaneously for three seconds to activate pairing mode. The Razer logo will blink twice in repeated intervals to show that the device is in pairing mode.



- 3. Activate Bluetooth on your device, search for new Bluetooth devices, and select "Razer DeathAdder V2 Pro" from the list of devices found.
- 4. Wait until the mouse pairs with your device. When paired, the Razer logo will briefly turn static blue before displaying its current lighting effect.



Once paired, your Razer DeathAdder V2 Pro will automatically reconnect to your device whenever in Bluetooth mode and within range. Keep the pairing devices within close proximity of each other for faster and more stable connection.

Congratulations, your Razer DeathAdder V2 Pro is now ready to use in Bluetooth mode.

USING THE WIRELESS USB DONGLE ADAPTER

Use the USB dongle adapter to easily access and extend the reach of your wireless USB dongle.



PERSONALIZING YOUR MOUSE

Use the Razer Synapse app to customize your mouse's lighting, configure its buttons, and even create various profiles suited for different playstyles. <u>Learn more about Stored profiles</u>

Install Razer Synapse when prompted or download the installer from razer.com/synapse

Ø

5. CONFIGURING YOUR RAZER DEATHADDER V2 PRO

Internet connection is required for installation, updates and cloud-based features. Registering for a Razer ID account is recommended, but optional. All listed features are subject to change based on the current software version, connected device(s), and supported apps and software.

SYNAPSE TAB

The Synapse tab is your default tab when you first launch Razer Synapse. This tab allows you to navigate the Dashboard subtab.

Dashboard

The Dashboard subtab is an overview of your Razer Synapse where you can access all your Razer devices, modules, and online services.



Modules

The Modules subtab displays all installed and available modules for installation.

	SYNAPSE	MOUSE	PROFILES			☆ - □	\times
$\langle \rangle$	DASHBO	ARD	MODULES	GLOBAL SHORTCUTS			
AVAILA	BLE MODULES						
	0	ALEXA The Ama integratic active mi	s zon Alexa module bring no to Synapse 3 for all (icrophone and Amazon	ys full Alexa Voice Service hroma enabled devices. Requires Alexa account.	\bigcirc	CHROMA CONNECT $\ref{thm: thm: thm: thm: thm: thm: thm: thm: $	
	0	CHRON Unlock a that allow across al devices o and prog	MA STUDIO dvanced Razer Chroma ws you to create multipl II your devices, while fol on your desktop. Manag rams via the Chroma Aj	capabilities with Chroma Studio lighting effects synchronized lowing the exact placement of your e all your Chroma enabled games ops tab	No.	CHROMA VISUALIZER The Chroma Visualizer syncs all your Chroma enabled devices and smart lights with the media you're playing for a fun and immersive listening experience. Set the mood of your room whenever you're playing music or watching a video and even have it automatically activate with any of your favourite media applications.	
	рніціря hue	HUE Enter a n as your F and let yo beyond y Hue tab	iew level of immersion v Razer Chroma enabled o our gaming experience rour peripherals. Sync w	with the Philips Hue Module. Watch levices sync with your Hue Bridge, transcend the screen and go ith your Philips Hue bridge via the	M	MACRO $\ref{thm:thm:thm:thm:thm:thm:thm:thm:thm:thm:$	

Global Shortcuts

Bind operations or Razer Synapse functions to custom key-combinations from any Razer Synapseenabled device inputs which apply across all device profiles. Learn more about Profiles



• Only Razer Synapse-enabled device inputs will be recognized.

- 😙	SYNAPSE	MOUSE	PROFILES	s							¢	—	×
$\langle \rangle$	DASHBO	ARD	MODULI	.ES G	IOBAL SHORTCUTS								
				SHORTCUTS					+				
			G W	Global shortcu works for Raze	uts are custom key combinatio er Synapse 3-enabled device in	ons that work across oputs.	all device profiles.	This feature only	y				
					+ , + ,	ADD A SHORTCUT							

MOUSE TAB

The Mouse tab is the main tab for your Razer DeathAdder V2 Pro. From here, you can change your device's settings such as button assignment, DPI sensitivity, and lighting. Changes made under this tab are automatically saved to your system and cloud storage.

Customize

The Customize subtab is for modifying your mouse's button assignments.

V SUSTOMZE PERFORMANCE LIGHTING CALBRATION POWER CONTACT Conta	3	SYNAPSE MOUSE	PROFILES Ø -	
POFIE 22 S2-1378 Default • <td>$\langle \rangle$</td> <td>CUSTOMIZE</td> <td>PERFORMANCE LIGHTING CALIBRATION POWER</td> <td></td>	$\langle \rangle$	CUSTOMIZE	PERFORMANCE LIGHTING CALIBRATION POWER	
E PROFLE RESC 1379-Deteit • • E Riphi Click Riphi Click Scroll Click Scroll Click Mouse Button 5 Cycle Up Profile Cycle Up Profile Standard •				
Left Click Scroll Click Mouse Button 5 Cycle Up Profile Sensitivity Stage Op Sensitivity Stage Down	=		PROFILE RZB-SG-1378-Default	100% \$ Î
Left Click Right Click Scroll Click Scroll Up Mouse Button 5 Scroll Down Mouse Button 4 Sensitivity Stage Up Cycle Up Profile Sensitivity Stage Down Standard ©				
Scroll Click Mouse Button 5 Cycle Up Profile Standard Standard Control Click Standard Control Click Standard Sta			Left Click • Right Click	
Scroll Dówn Mouse Button 3 Cycle Up Profile Sensitivity Stage Down Standard Q	N (B - 85			
Mouse Button 5 Scroll Down Mouse Button 4 Sensitivity Stage Up Cycle Up Profile Sensitivity Stage Down			Scroll up	
Mouse Button 4 Cycle Up Profile Sensitivity Stage Down Standard O Dazen nearthannee va nea	8 /		Mouse Button 5	
Mouse Button 4 Sensitivity Stage Up Cycle Up Profile Sensitivity Stage Down Standard Standard	40 (4 4) 10 (4 4)			
Cycle Up Profile	8. 38 R.			
Cycle Up Profile	20. 32. 32 10. 10. 10.			
	10 at 10		Cycle Up Profile • Sensitivity Stage Down	
	R 82 22			
Standard C	• • • •			
	2 A A			
	10 (N - 10		Standard 2	
RAZER DEATRADUER VZ PRO			RAZER DEATHADDER V2 PRO	

Profile

Profile is a data storage for keeping all your Razer peripheral's settings. By default, the profile name is based on your system's name. To add, rename, duplicate, or delete a profile, simply press the Miscellaneous button (•••).

Stored Profiles

Your Razer DeathAdder V2 Pro can store up to 5 profiles from the Razer Synapse app, allowing you to use these profiles even on systems without the app installed. Pressing the profile button will cycle through the different profiles, with the profile indicator's color showing which profile is currently selected.

Profile	Designated color	
Active Profile	White	
Profile 1	Red	
Profile 2	Green	© Profile button
Profile 3	Blue	
Profile 4	Cyan	

To assign a profile to any of the available on-board memory slots, click the On-board Profiles button (
() and drag the profile that you want to assign to the preferred memory slot.

- 😙	SYNAPSE	MOUSE	PROFILES				¢ – 🗆 ×
< >	CUSTO	MIZE	PERFORMANCE	LIGHTING	CALIBRATION	POWER	•
≡				PROFII F		🗨	ON-BOARD MEMORY 2 ×
							RZB-SG-1378-Default (2)
						Right Click	Drag profile here
			that to a to a to a S	croll Click		Scroll Up	Drag profile here
			Mous	e Button 5 🔹 👘		Scroll Down	Drag profile here
			Mous	e Button 4		Sensitivity Stare I	ALL PROFILES
							RZB-SG-1378-Default
			Cycle	Up Profile		 Sensitivity Stage I 	Down
10 S							
20 					Standard 0		
							STORED MACROS
				R	AZER DEATHADDER V2 PRO		

Hypershift

Hypershift mode is a secondary set of button assignments that is activated when the Hypershift key is held down. By default, the Hypershift key is assigned to the fn key of your Razer Synapse supported keyboard however, you can also assign any mouse button as a Hypershift key.



Sidebar

Clicking the Sidebar button (\equiv) will reveal all current button assignments for your Razer DeathAdder V2 Pro.



Alternatively, you can skip to a specific button assignment by selecting it on the Customize tab.

<u></u>	SYNAPSE MOUSE	PROFILES					◇ - □	×
$\langle \rangle$	CUSTOMIZE	PERFORMANCE LI	GHTING	CALIBRATION	POWER			
< > 三 で 間 の 短 の で す ス	CUSTOMIZE DEFAULT DEFAULT MOUSE FUNCTION SENSITIVITY SENSITIVITY INTER-DEVICE SWITCH PROFILE RAZER HYPERSHIFT	PERFORMANCE L		CALIBRATION	POWER PROFILE Left Click Scroll Click Mouse Button 5 Mouse Button 4 Cycle Up Profile	RZB-SG-1378-Default	•• 🔳 • Right Click • Scroll Up • Scroll Down • Sensitivity S • Sensitivity S	Stage Up
	LAUNCH PROGRAM MULTIMEDIA WINDOWS SHORTCUTS TEXT FUNCTION DISABLE					Standard		
					RAZER DEAT	HADDER V2 PRO		

Upon selecting a button assignment, you may then change it to one of the following functions:

C Default

This option enables you to return the mouse button to its original setting.

E Keyboard Function

This option changes the button assignment into a keyboard function. You can also choose to enable Turbo mode which allows you to emulate a repeated keyboard function while the button is held down.

Mouse Function

This option substitutes the current button assignment into another mouse function. Listed below are the functions which you can choose from:

- Left Click Performs a left mouse click using the assigned button.
- Right Click Performs a right mouse click using the assigned button.
- Scroll Click Activates the universal scrolling function.
- Double Click Performs a double left click using the assigned button.
- Mouse Button 4 Performs a "Backward" command for most internet browsers.
- Mouse Button 5 Performs a "Forward" command for most internet browsers.
- Scroll Up Performs a "Scroll Up" command using the assigned button.
- Scroll Down Performs a "Scroll Down" command using the assigned button.
- Scroll Left Performs a "Scroll Left" command using the assigned button.
- Scroll Right Performs a "Scroll Right" command using the assigned button.

You can also choose to enable Turbo mode in some of the mouse functions which allow you to emulate repeatedly pressing and releasing said function while the button is held down.

Sensitivity

This function allows you to manipulate the DPI setting of your Razer DeathAdder V2 Pro with a touch of a button. Listed below are the Sensitivity options and their description:

- Sensitivity Clutch Changes the sensitivity to a predefined DPI while the designated button is held down. Releasing the button will return it to the previous sensitivity.
- Sensitivity Stage Up Increases the current sensitivity by one stage.
- Sensitivity Stage Down Decreases the current sensitivity by one stage.
- On-The-Fly Sensitivity Pressing the designated button and moving the scroll wheel either up
 or down will increase or decrease the current DPI respectively.
- Cycle Up Sensitivity Stages Increases the current sensitivity stage by one. Once it reaches the highest sensitivity stage, it will return to stage 1 when the button is pressed again.
- Cycle Down Sensitivity Stages Decreases the current sensitivity stage by one. Once it reaches stage 1, it will return to the highest sensitivity stage when the button is pressed again. <u>Learn</u> <u>more about Sensitivity Stages</u>

M Macro

A Macro is a prerecorded sequence of keystrokes and button presses that is executed with precise timing. By setting the button function to Macro, you can conveniently execute a chain of commands. This function will only be visible when the Macro module is installed.

Inter-device

Inter-device allows you to change the functionality of other Razer Synapse-enabled devices. Some of these functionalities are device-specific such as using your Razer gaming keyboard to change the Sensitivity Stage of your Razer gaming mouse.

Switch Profile

Switch Profile enables you to quickly change profiles and load a new set of button assignments. An on-screen notification will appear whenever you switch profiles.

Switch Lighting

Switch Lighting allows you to easily switch between all advanced lighting effects. This function will only be visible when the Chroma Studio module is installed.

↗ Razer Hypershift

Setting the button to Razer Hypershift will allow you to activate Hypershift mode as long as the button is held down.

Launch Program

Launch Program enables you to open an app or a website using the assigned button. When you select Launch Program, two choices will appear which requires you to search for a specific app you want to open, or write the address of the website you want to visit.

Multimedia

This option allows you to assign multimedia controls to your Razer device. Listed below are the multimedia controls you can choose from:

- Volume Down Decreases the audio output.
- Volume Up Increases the audio output.
- Mute Volume Mutes the audio.
- Mic Volume Up Increases the microphone volume.
- Mic Volume Down Decreases the microphone volume.
- Mute Mic Mutes the microphone.
- Mute All Mutes both microphone and audio output.
- Play / Pause Play, pause, or resume playback of the current media.
- Previous Track Play the previous media track.
- Next Track Play the next media track.

↗ Windows Shortcuts

This option allows you to assign your preferred button into a Windows Operating System shortcut command. For more information, please visit: support.microsoft.com/kb/126449

Text Function

Text Function enables you to type a prewritten text with a touch of a button. Simply write your desired text on the given field and your text will be typed whenever the assigned button is pressed. This function has full Unicode support and you can also insert special symbols from character maps.

O Disable

This option renders the assigned button unusable. Use Disable if you do not want to use the selected button or if it interferes with your gaming.

Performance

The Performance subtab allows you to modify the sensitivity, acceleration, and polling rate.

3	SYNAPSE MOUSE	PROFILES	¢ – 🗆 X
$\langle \rangle$	CUSTOMIZE	PERFORMANCE LIGHTING CALIBRATION POWER	•
		PROFILE RZB-SG-1378-Default → •••	100% 5 🗓
	SENSITIVITY The number of dots-per-inc Sensitivity Stages	POLLING RATE Ch (DPI) of mouse movement. Number of Stages 5 1000	0
	Stage 1 Stage 2 400 800	Stage 3 Stage 4 Stage 5 1600 3200 6400 WOUSE PROPERTIES Open Windows Mouse Properties	0
	100 Enable X-Y	20000	
		RAZER DEATHADDER V2 PRO	

Sensitivity

Sensitivity refers to the distance the cursor will travel based on how far the mouse moved. The higher the DPI, the farther the cursor will travel given the same distance of mouse movement.

Sensitivity Stages

A sensitivity stage is a preset sensitivity value. You can create up to 5 different sensitivity stages which you can cycle through using the sensitivity stage up/down buttons. You may use the Enable X-Y Sensitivity concurrently with this option.

Enable X-Y Sensitivity

By default, the X-axis (horizontal) and Y-axis (vertical) use the same sensitivity values. However, you may set different sensitivity values to each of the axes by selecting the Enable X-Y Sensitivity option.

Polling Rate

The higher the polling rate, the more often the computer receives information about the status of your mouse, thus increasing the mouse pointer's reaction time. You can switch between 125Hz (8ms), 500Hz (2ms) and 1000Hz (1ms) by selecting your desired polling rate on the dropdown menu.

Mouse Properties

From here, you can access the Windows Mouse Properties where you modify operating system settings that can directly affect your Razer DeathAdder V2 Pro.

Lighting

The Lighting subtab enables you to modify your Razer device's light settings.

SYNAPSE MOUSE PROFILES			¢ – 🗆 X
< > CUSTOMIZE PERFORMANCE	LIGHTING CALIBRAT	TION POWER	•
	PROFILE RZB-SG-1378-D		100% /
BRIGHTNESS	Ø		0
0	100	Spectrum Cycling	bled device is connected
SWITCH OFF LIGHTING	0	Quick effects are presets that can be saved to a devic synced with other supported Razer Chroma-enabled o	e's profile and levices
When display is turned Off When idle for (minutes)			
		R 1/2 DBO	

Brightness

You can turn off your Razer device's lighting by toggling the Brightness option or increase/decrease the luminance using the slider.

Switch Off Lighting

This is a power saving tool which allows you to disable your device's lighting in response to your system's display turning off and/or automatically power down when your Razer DeathAdder V2 Pro has been idle for a set amount of time.

Effects

A number of effects can be selected and applied to your mouse's lighting, as listed here:

	Name	Description	How to set up
	Audio meter	The LEDs will light up according to the audio level with a default spectrum of colors	Select a Color Boost level
\bigcirc	Breathing	The lighting will fade in and out of the selected color(s)	Select up to 2 colors or randomize colors
	Reactive	The LEDs will light up when you click any of the mouse buttons	Select a color and a duration
\bigcirc	Spectrum cycling	The lighting will cycle between 16.8 million colors indefinitely	No further customization required
\bigcirc	Static	The LEDs will remain lit in the selected color	Select a color

If you have other supported Razer Chroma-enabled devices, you can synchronize their quick effects with your Razer device by clicking the Chroma Sync button (

() Only devices that support the selected lighting effect will synchronize.

Advanced Effects

The Advanced Effects option allows you to choose a Chroma Effect you want to use on your Razer Chroma-enabled peripheral. To start making your own Chroma Effect, simply press the Chroma Studio button (O CHROMA STUDIO).

Calibration

The Calibration subtab allows you to optimize your Razer Precision Sensor to any surface for better tracking.

Smart Tracking

Smart Tracking enables you to set the distance at which the sensor stops tracking when it is lifted from its surface to avoid unwanted cursor movement. You may set different values to the lift-off and landing distances by selecting the Enable Asymmetric Cut-Off.

SYNAPSE MOUSE	PROFILES	¢ − □ ×
< > CUSTOMIZE F	PERFORMANCE LIGHTING CALIBRATION POWER	2
	MOUSE MAT SURFACE CALIBRATION Your Razer gaming mouse delivers immensely accurate tracking straight out of the box. To experience an even higher level of precision, add a pre-configured Razer surface profile or calibrate your own. Dismiss SMART TRACKING MANUAL CALIBRATION	100% 5 🗍
	SMART TRACKING Set a single cut off point to your preferred distance in millimeters (mm) regardless of the surface it is placed on. TRACKING DISTANCE 1 mm 3 mm	
	Enable Asymmetric Cut-off 🕢	
	RAZER DEATHADDER V2 PRO	

Manual Calibration

To use this feature, you must click the Add A Surface option where you can select from a comprehensive list of Razer mouse mats or add your own mouse mat.

- 😵	SYNAPSE MOUSE	PROFILES				۰ -	- 🗆 X
$\langle \rangle$	CUSTOMIZE	PERFORMANCE	LIGHTING	CALIBRATION	POWER		
		Your Raz To experience an eve	MOUSE MAT er gaming mouse delive n higher level of precision SMART TRAM	T SURFACE CAL ers immensely accurate trad on, add a pre-configured Ra <u>Dismiss</u> CKING MANUAL CALLE	IBRATION king straight out of the box. zer surface profile or calibrate your own. IRATION		100% 🗲 🚺
0	DEFAULT No Calibration	ADI					
			RA	ZER DEATHADDER V2 PRO			

Power

The Power subtab allows you to manage your device's energy consumption when running on batteries. You can also set your device to enter sleep mode when it has been idle for a certain amount of time.

3	SYNAPSE MOUS	E PROFILES				¢	— C	X C
$\langle \rangle$	CUSTOMIZE	PERFORMANCE	LIGHTING	CALIBRATIO	N POWER			
			PROFILE				100	* f Î
	WIRELESS POWER SAV Enter sleep mode if idle fo	'ING or (minutes)		15	LOW POWER MODE When wireless, enter L	Low Power Mode if the battery level is below (%)	100	Ø
				RAZER DEATHADDER V.	2 PRO			

PROFILES TAB

The Profiles tab is a convenient way of managing all your profiles and linking them to your games and applications.

Devices

View which games are linked to each device's profiles or which Chroma Effect is linked to specific games using the Devices subtab.



You can import Profiles from your computer or from the cloud through the import button (\Box) or create new profiles within the selected device using the add button (+). To rename, duplicate, export, or delete a profile, simply press the Miscellaneous button (•••). Each profile can be set to automatically activate when you run an application using the Linked Games option.

Linked Games

The Linked Games subtab gives you the flexibility to add games, view devices that are linked to games, or search for added games. You can also sort games based on alphabetical order, last played, or most played. Added games will still be listed here even if it is not linked to a Razer device.



To link games to connected Razer devices or Chroma Effects, simply click on any game from the list, and then click **Select a device and its profile to launch automatically during gameplay** to select the Razer device or Chroma Effect it will link with. Once linked, you may click on the Miscellaneous button (•••) of the corresponding Chroma Effect or device to select a specific Chroma Effect or profile.

SETTINGS WINDOW

The Settings window, accessible by clicking the (🔅) button on Razer Synapse, enables you to configure the startup behavior and display language of Razer Synapse, view the master guides of each connected Razer device, or perform factory reset on any connected Razer device.

Continue services MODULES GENERAL NULINE SERVICES ABOUT Continue services ABOUT Continue services ABOUT Continue services ABOUT Continue services ABOUT Continue services ABOUT Continue services ABOUT Continue services ABOUT Continue services ABOUT Continue services ABOUT Continue services ABOUT Continue services ABOUT Continue services Continue services ABOUT Continue services Continue servi
DEVICES MODULES AUTO-LAUNCH RAZER DEATHADDER V2 f GENERAL RESET ONLINE SERVICES ABOUT Minimize to system tray on startup THEME Light Dark Dark Dark
NOTIFICATIONS Isplay on-screen notifications Image: Comparison of the screen notification of the screen notificat
VIEW MASTER GUIDE Razer DeathAdder V2 Pro

General tab

The default tab of the Settings window. The General tab enables you to change the software's display language, start-up behavior, display theme, and on-screen notifications display. You may also manually sync your profiles to the cloud (\mathcal{C}) or view the master guide of all connected Razer devices and installed modules.

Reset tab

The Reset tab allows you to perform a factory reset on all connected Razer devices with on-board memory and/or reset Razer Synapse tutorials to acquaint yourself again with Razer Synapse's new features on its next launch.

By resetting a Razer device, all profiles stored on the selected device's on-board memory will be erased.

About tab

The About tab displays brief software information, copyright statement and provides relevant links for its terms of use. You may also use this tab to check for software updates, or as a quick access to Razer's social communities.

6. SAFETY AND MAINTENANCE

SAFETY GUIDELINES

Should you have trouble operating the device properly and troubleshooting does not work, unplug the device and contact the Razer hotline or go to <u>support.razer.com</u> for support.

Do not take apart the device and do not attempt to operate it under abnormal current loads. Doing so will void your warranty.

Keep the device away from liquid, humidity or moisture. Operate the device only within the specific temperature range of 0°C (32°F) to 40°C (104°F). Should the temperature exceed this range, unplug and/or switch off the device in order to let the temperature stabilize to an optimal level.

COMFORT

Research has shown that long periods of repetitive motion, improper positioning of your computer peripherals, incorrect body position, and poor habits may be associated with physical discomfort and injury to nerves, tendons, and muscles. Below are some guidelines to avoid injury and ensure optimum comfort while using your Razer DeathAdder V2 Pro.

- Position your keyboard and monitor directly in front of you with your mouse next to it. Place your elbows next to your side, not too far away and your keyboard within easy reach.
- Adjust the height of your chair and table so that the keyboard and mouse are at or below elbow-height.
- Keep your feet well supported, posture straight and your shoulders relaxed.
- During gameplay, relax your wrist and keep it straight. If you do the same tasks with your hands repeatedly, try not to bend, extend or twist your hands for long periods.
- Do not rest your wrists on hard surfaces for long periods. Use a wrist rest to support your wrist while gaming.
- Do not sit in the same position all day. Get up, step away from your desk and do exercises to stretch your arms, shoulders, neck and legs.

If you should experience any physical discomfort while using your mouse, such as pain, numbness, or tingling in your hands, wrists, elbows, shoulders, neck or back, please consult a qualified medical doctor immediately.

MAINTENANCE AND USE

The Razer DeathAdder V2 Pro requires minimum maintenance to keep it in optimum condition. Once a month we recommend you unplug the device from the computer and clean it using a soft cloth or cotton swab to prevent dirt buildup. Do not use soap or harsh cleaning agents.

To get the ultimate experience in movement and control, we highly recommend a premium mouse mat from Razer. Some surfaces will cause undue wear on the feet requiring constant care and eventual replacement.

Do note that the sensor of the Razer DeathAdder V2 Pro is 'tuned' or optimized especially for the Razer mouse mats. This means that the sensor has been tested extensively to confirm that the Razer DeathAdder V2 Pro reads and tracks best on Razer mouse mats.

BATTERY WARNING

The Razer DeathAdder V2 Pro contains a Li-ion rechargeable battery. In general, the life expectancy of such batteries is dependent upon usage. If you suspect that the Li-ion rechargeable battery inside the Razer DeathAdder V2 Pro may be drained (has a low charge), try charging it.

Caution: Do not open, mutilate, or expose to conducting materials (metal), moisture, liquid, fire, or heat. Doing so may cause batteries to leak or explode, resulting in personal injury. Battery life varies with usage.

7. LEGALESE

COPYRIGHT AND INTELLECTUAL PROPERTY INFORMATION

©2020 Razer Inc. All rights reserved. Razer, the triple-headed snake logo, Razer logo, "For Gamers. By Gamers.", and "Powered by Razer Chroma" logo are trademarks or registered trademarks of Razer Inc. and/or affiliated companies in the United States or other countries. All other trademarks are the property of their respective owners.

The Bluetooth[®] word mark and logos are registered trademarks owned by Bluetooth SIG, Inc., and any use of such marks by Razer is under license.

Windows and the Windows logo are trademarks of the Microsoft group of companies.

Razer Inc. ("Razer") may have copyright, trademarks, trade secrets, patents, patent applications, or other intellectual property rights (whether registered or unregistered) concerning the product in this guide. Furnishing of this guide does not give you a license to any such copyright, trademark, patent or other intellectual property right. The Razer DeathAdder V2 Pro (the "Product") may differ from pictures whether on packaging or otherwise. Razer assumes no responsibility for such differences or for any errors that may appear. Information contained herein is subject to change without notice.

LIMITED PRODUCT WARRANTY

For the latest and current terms of the Limited Product Warranty, please visit <u>razer.com/warranty</u>.

LIMITATION OF LIABILITY

Razer shall in no event be liable for any lost profits, loss of information or data, special, incidental, indirect, punitive or consequential or incidental damages, arising in any way out of distribution of, sale of, resale of, use of, or inability to use the Product. In no event shall Razer's liability exceed the retail purchase price of the Product.

GENERAL

These terms shall be governed by and construed under the laws of the jurisdiction in which the Product was purchased. If any term herein is held to be invalid or unenforceable, then such term (in so far as it is invalid or unenforceable) shall be given no effect and deemed to be excluded without invalidating any of the remaining terms. Razer reserves the right to amend any term at any time without notice.