

F840

4G FIXED WIRELESS PHONE

Description

Designed for business environments and large enterprises with multi-skilled workers who require additional connectivity to continue working during a call, while maintaining productivity.



Features

GSM 900/1800 MHz, UMTS 900/2100 MHz and LTE 800/1800/2600 MHz network

4.5" high-resolution IPS touch screen display

Bluetooth 4.1 and Wi-Fi connection

Android 8.1

4 memory keys for speed dialing of your frequent numbers

Integrated Handsfree

HD Voice

Dual noise cancelling microphone

Software update FOTA

Possibility of synchronization with the LDAP server to find contacts

Function keys (on hold, conference call, transfer)

3.5mm jack plug for earphones

LED indicator for SMS and call notifications

Webcam 2MP



Specifications

General	Frequencies: GSM 900/1800 MHz, UMTS 900/2100 MHz and LTE 800/1800/2600 MHz
	Languages: Spanish, English, French, Catalan, Galician, Basque and
	Portuguese
	Antenna: integrated within terminal.
Dimensions and weight	Dimensions: 240*200*90 mm
	Weight: 900 g
Display	Dimensions: 4,5".
	Technology: IPS TFT
	Resolution: 480*854 (colors)
	Touch: Capacitive multi-touch
Platform	Chipset: MediaTek 6737
	Processor: QuadCore 1.25GHz
	Operating System: Android 8.1
Connectivity	Wi-Fi: 802.11 b/g/n
	Bluetooth 4.1
Battery	Type: Li-ion
	Capacity: 4.000 mAh
	Speaking time: 15 hours
	Standby time: 250 hours
	Charging time: 10 hours
Memory	ROM Memory: 8GB eMMC
	RAM Memory: 1GB DDR
	External Memory: Micro SD up to 32 GB
Connectors	DC charging jack socket
	3.5 mm jack for earphones (WTPO format)
	3.5 mm jack for auxiliary microphone
	Micro USB 2.0 for data transfer
Supported services	Call functions: redial, call on hold, transfer and conference call for up to 6
	participants (dedicated keys)
	SMS/MMS
	Multimedia: image, audio, video
	Email: POP/IMAP, Exchange
	HD Voice
	Remote software update via FOTA
Serra	no Galvache, 56. Ed. Abedul 4A 28033 Madrid (España) - www.cocomm.es. Datasl



Specifications

Other features FM Radio

Web Browser SIM Toolkit Calendar Chronometer Calculator Alarm

Multimedia recording

Certifications GCF, CE and RoHS (among others)

Task List Time Zones

SAR value: 1,212 W/kg, within the LTE 3 band.

ERP: the power consumption of the product connected to the network,

in standby mode, is 0,311 W.

Sales package content Terminal and handset

Charger Battery User manual Warranty Card Cleaning cloth

Screws and security key