

# HP Color LaserJet Enterprise MFP M682 series



## The pinnacle of performance and security.

This HP Colour LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them – all while protecting your network with the industry's deepest security.<sup>1</sup>



### The world's most secure printing<sup>1</sup>

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralise control of your printing environment with HP Web Jetadmin – and help build business efficiency.<sup>2</sup>
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions.

### High speed performance meets energy efficiency

- Scanning is now faster than ever; duplex scan speeds up to 167 ipm. Scan to SharePoint and more.<sup>3</sup>
- This MFP wakes up fast and prints your first page faster – in as quickly as 12.6 seconds.<sup>4</sup>
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.<sup>5</sup>
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes 10.16 x 15.24 cm (4 x 6") to legal.

### More. Pages, Performance, and Protection.<sup>6</sup>

- ColorSphere3 toner formulation, combined with an automatic media sensor, help provide leading print quality
- Original HP Toner cartridges with JetIntelligence supply 39% more pages per colour cartridge vs predecessor.<sup>6</sup>
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.<sup>7</sup>

### Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages – every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and greyscale-optimised.
- Load up to 150 pages into the automatic document feeder for fast, unattended scanning.



Quality laser printing



Security




Low energy

## Product walkaround

### HP Color LaserJet Enterprise Flow MFP M682z shown

1. Hardware Integration Pocket
2. Easy-access USB port
3. 1,000-sheet 3-bin stapler/stacker with offset job printing
4. Built-in automatic two-sided printing
5. HP High-Performance Secure Hard Disk
6. 550-sheet tray 2
7. 1x550-sheet/2,000-sheet HCL feeder and stand
8. 150-sheet ADF with single-pass, two-sided scanning and HP EveryPage
9. 20.3 cm icon-based colour touchscreen
10. Pull-out keyboard
11. 100-sheet multipurpose tray 1
12. Lower-right door (access to print path)
13. Front door access to toner cartridges
14. Wi-Fi Direct printing/Bluetooth Low Energy
15. Slot for cable-type security lock
16. Fax port
17. Built-in Gigabit Ethernet
18. Hi-Speed USB 2.0 printing port
19. USB port for connecting external USB devices



## Accessories, Supplies and Support

|  |  |   |
|--|--|---|
| <b>Supplies</b>  | <b>CF450A</b> HP 655A Black Original LaserJet Toner Cartridge 12,500 pages   |   |
|  | <b>CF451A</b> HP 655A Cyan Original LaserJet Toner Cartridge 10,500 pages  |   |
|  | <b>CF452A</b> HP 655A Yellow Original LaserJet Toner Cartridge 10,500 pages  |   |
|  | <b>CF453A</b> HP 655A Magenta Original LaserJet Toner Cartridge 10,500 pages   |   |
|  | <b>CF470X</b> HP 657X High Yield Black Original LaserJet Toner Cartridge 28,000 pages  |   |
|  | <b>CF471X</b> HP 657X High Yield Cyan Original LaserJet Toner Cartridge 23,000 pages   |   |
|  | <b>CF472X</b> HP 657X High Yield Yellow Original LaserJet Toner Cartridge 23,000 pages   |   |
|  | <b>CF473X</b> HP 657X High Yield Magenta Original LaserJet Toner Cartridge 23,000 pages  |   |
|  | <b>P1B92A</b> HP LaserJet 220V Maintenance Kit Up to 150,000 pages   |   |
|  | <b>P1B93A</b> HP LaserJet Image Transfer Belt Kit Up to 150,000 pages  |   |
|  | <b>P1B94A</b> HP LaserJet Toner Collection Unit Up to 100,000 pages  |   |
|  | <b>J8J95A</b> HP 300 ADF Roller Replacement Kit Up to 150,000 pages  |   |
|  | <b>Accessories</b>   | <b>P1B09A</b> HP Color LaserJet 550-sheet Media Tray            |
|  |  | <b>P1B10A</b> HP Color LaserJet 550-sheet Paper Tray with Stand |
| <b>P1B11A</b> HP Color LaserJet 3x550-sheet Feeder and Stand   |  |   |
| <b>P1B12A</b> HP Color LaserJet 1x550/2000-sheet HCL Feeder and Stand  |  |   |
| <b>J8J96A</b> HP Staple Cartridge Refill Cartridge contains 5,000 staples  |  |   |
| <b>CC487A</b> HP LaserJet MFP Analog Fax Accessory 500   |  |   |
| <b>F5S62A</b> HP Trusted Platform Module Accessory   |  |   |
| <b>B5L28A</b> HP Internal USB Ports  |  |   |
| <b>B5L29A</b> HP High-Performance Secure Hard Disk   |  |   |
| <b>E5K48A</b> HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM   |  |   |
| <b>B5L31A</b> HP Foreign Interface Harness   |  |   |
| <b>Connectivity</b>  | <b>A7W13A</b> HP LaserJet Keyboard Overlay Kit-Danish/French-Switzerland/German-Switzerland  |   |
|  | <b>A7W14A</b> HP LaserJet Swedish Overlay Keyboard   |   |
|  | <b>J8030A</b> HP Jetdirect 3000w NFC/Wireless Accessory  |   |
| <b>Service and support</b>   | <b>J8031A</b> HP Jetdirect 2900nw Print Server   |   |
|  | <b>U9NP3E</b> HP 3 year Next Business Day Hardware Support with Defective Media Retention for Colour LaserJet Enterprise MFP M68x                |   |
|  | <b>U9NP4E</b> HP 4 year Next Business Day Hardware Support with Defective Media Retention for Colour LaserJet Enterprise MFP M68x                |   |
|  | <b>U9PD4E</b> HP 5 year Next Business Day Hardware Support with Defective Media Retention for Colour LaserJet Enterprise MFP M68x                |   |
|  | <b>U9NX1PE</b> HP 1 year Post Warranty Next Business Day Hardware Support with Defective Media Retention for Colour LaserJet Enterprise MFP M68x |   |
| <b>U9NX2PE</b> HP 2 year Post Warranty Next Business Day Hardware Support with Defective Media Retention for Colour LaserJet Enterprise MFP M68x |  |   |

## Technical specifications

|                                 |  |
|---------------------------------|--|
| <b>Model</b>                    | <b>HP Color LaserJet Enterprise Flow MFP M682z</b>   |
| <b>Product number</b>           | J8A17A   |
| <b>Functions</b>                | Print, copy, scan, fax   |
| <b>Control panel</b>            | 20.3 cm (8.0 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); Extended keyboard   |
| <b>Print</b>                    |  |
| Print technology                | Laser  |
| Print speed <sup>1</sup>        | <b>Black (A4, normal):</b> Up to 56 ppm; <b>Colour (A4, normal):</b> Up to 56 ppm; <b>Black (A4, duplex):</b> Up to 56 ppm   |
| First page out <sup>2</sup>     | <b>Black (A4, ready):</b> As fast as 5.8 sec; <b>Colour (A4, ready):</b> As fast as 5.8 sec; <b>Black (A4, sleep):</b> As fast as 12.6 sec; <b>Colour (A4, sleep):</b> As fast as 12.6 sec   |
| Print resolution                | <b>Black (best):</b> Up to 1 200 x 1 200 dpi; <b>Colour (best):</b> Up to 1 200 x 1 200 dpi; <b>Technology:</b> HP ImageRet 3600; 600 x 600 dpi; HP ProRes 1200 (1200 x 1200 dpi); Pantone® Calibrated   |
| Monthly duty cycle              | Up to 120,000 pages (A4); <b>Recommended monthly page volume:</b> 2,000 to 17,000  |
| Printer smart software features | Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB  |
| Standard print languages        | HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7), URF (AirPrint)  |
| Fonts and typefaces             | 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <a href="http://www.hp.com/go/laserjetfonts">http://www.hp.com/go/laserjetfonts</a>   |
| Print area                      | <b>Print margins:</b> Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; <b>Maximum print area:</b> 207.4 x 347.1 mm  |
| Duplex printing                 | Automatic (standard)   |
| <b>Copy</b>                     |  |
| Copy speed <sup>3</sup>         | <b>Black (A4):</b> Up to 56 cpm; <b>Colour (A4):</b> Up to 56 cpm  |
| Copier specifications           | Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy (different media sizes); <b>Maximum number of copies:</b> Up to 9,999 copies; <b>Copy resolution:</b> Up to 600 x 600 dpi   |
| <b>Scan</b>                     |  |
| Scan speed <sup>4</sup>         | <b>Normal (A4):</b> Up to 83 ppm/167 ipm (black and white), up to 83 ppm/167 ipm (colour); <b>Duplex (A4):</b> Up to 167 ipm (black and white), up to 167 ipm (colour)   |
| Scan file format <sup>5</sup>   | Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)   |
| Scanner specifications          | <b>Scanner type:</b> Flatbed, ADF; <b>Scan technology:</b> Charge Coupled Device (CCD); <b>Scan input modes:</b> Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXF) applications; HP Scan or user application via TWAIN; <b>Twain version:</b> Version 2.1; <b>Duplex ADF scanning:</b> Yes; <b>Scan size maximum (flatbed, ADF):</b> 220 x 365 mm; <b>Optical scan resolution:</b> Up to 600 dpi  |
| Scanner Advanced Features       | Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR); Auto crop to page; Auto-tone   |
| Recommended monthly scan volume | 26,750 to 44,500   |
| Scannable area                  | <b>Minimum media size (flatbed):</b> No Minimum Size; <b>Maximum media size (flatbed):</b> 220 x 365 mm; <b>Minimum media size (ADF):</b> 68 x 147 mm; <b>Maximum media size (ADF):</b> 215.9 x 863.6 mm   |
| Bit depth/ Grey scale levels    | 24-bit / 256   |
| Digital sending                 | <b>Standard:</b> Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR; <b>Optional:</b> Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book |
| <b>Fax</b>                      |  |
| Fax                             | Yes, 33.6 kbps   |
| Fax specifications              | <b>Fax memory:</b> Up to 500 pages; <b>Fax resolution:</b> Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Superfine: 203 x 392 dpi or 300 x 300; <b>Quick dialing:</b> Up to 1,000 numbers (each with 210 destinations); <b>Telecom compliance:</b> ES 203 021-1 v2.1.1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2; EN 300 328 V1.9.16; EN 300 330-2 V1.6.1; EN 301 893 V1.8.1; R&TTE 1999/5/EC; Other Telecom approvals as required by individual countries  |
| Fax smart software features     | Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule   |
| <b>Processor speed</b>          | 1.2 GHz  |
| <b>Connectivity</b>             |  |
| Standard                        | 1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax; 1 Wi-Fi direct 802.11b/g/n; 1 Bluetooth low energy   |
| Optional                        | HP Jetdirect 2900nw Print Server J8031A  |
| Mobile printing capability      | HP ePrint; Apple AirPrint™; Mopria™-certified; Wireless Direct Printing; Bluetooth Low Energy; Google Cloud Print 2.0  |
| Supported network protocols     | Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x                     |
| <b>Network capabilities</b>     | Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (standard).  |
| <b>Hard disk<sup>6</sup></b>    | Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater)   |
| <b>Memory</b>                   | <b>Standard:</b> 1.5 GB (printer); 1 GB (scanner); <b>Maximum:</b> 3 GB  |

|   |  |
|---|--|
| <b>Model</b>                                | <b>HP Color LaserJet Enterprise Flow MFP M682z</b>   |
| <b>Product number</b>                       | J8A17A   |
| <b>Media handling</b>                       |  |
| Number of paper trays                       | <b>Standard:</b> 4; <b>Maximum:</b> 4  |
| Media types                                 | Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), colour transparency, labels, letterhead, envelope, preprinted, prepunched, coloured, rough, opaque film, user-defined   |
| Media size                                  | <b>Custom (metric):</b> Tray 1: 76 x 127 to 216 x 356 mm; Trays 2, 3: 101.6 x 148 to 216 x 356 mm; Tray 4: custom sizes not supported in this tray<br><b>Supported (metric):</b> Tray 1: A4, A5, A6, RA4, B5, B6, 16k, 10 x 15 cm, Oficio, postcards (JIS single and double) envelopes (DL, C5, B5, C6); Trays 2, 3: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16k, Dpostcard; Tray 4: A4<br><b>ADF:</b> Oficio; executive; statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 68 x 147 mm to 215.9 x 863.6 mm   |
| Media handling                              | <b>Standard input:</b> 100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 2,000-sheet high capacity input tray 4, 150-sheet automatic document feeder<br><b>Standard output:</b> 500-sheet output tray, 500-sheet output stapler stacker, two-sided printing<br><b>ADF:</b> Standard, 150 sheets  |
| Media weight                                | Tray 1: 60–220 g/m <sup>2</sup> (plain), 120 to 220 g/m <sup>2</sup> (glossy); Tray 2, 3: 60 to 163 g/m <sup>2</sup> (plain), 120 to 220 g/m <sup>2</sup> (glossy); Tray 4: 60–163 g/m <sup>2</sup> (plain); <b>ADF:</b> 45 to 199 g/m <sup>2</sup>  |
| Input capacity                              | <b>Tray 1:</b> Paper: 100 sheets of 75 g/m <sup>2</sup> media; Envelopes: 10<br><b>Tray 2:</b> Plain media (75 g/m <sup>2</sup> ) sheets: 550 (55 mm stack height); Glossy media sheets (120 g/m <sup>2</sup> ): 250 (30 mm stack height)<br><b>Tray 3:</b> Plain media (75 g/m <sup>2</sup> ) sheets: 550 (55 mm stack height); Glossy media sheets (120 g/m <sup>2</sup> ): 250 (30 mm stack height); High-capacity input: Plain media (75g/m <sup>2</sup> ) sheets: 2,000 (200 mm stack height)<br><b>Maximum:</b> Up to 3,200 sheets<br><b>ADF:</b> Standard, 150 sheets   |
| Output capacity                             | <b>Standard:</b> Up to 1,000 sheets<br>Envelopes: Up to 85 envelopes<br>Transparencies: Up to 200 sheets<br><b>Maximum:</b> Up to 1,000 sheets   |
| <b>Compatible operating systems</b>         | Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.11 El Capitan, OS X 10.10 Yosemite, UNIX, Windows 10 all 32/64-bit editions (excluding RT OS for Tablets), Windows 7 all 32/64-bit editions, Windows 8/8.1 all 32/64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)   |
| <b>Compatible network operating systems</b> | Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003 R2, Citrix on Windows Server 2008/2008 R2/2008 R2 SP1, Citrix on Windows Server 2012/2012 R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32/64-bit, Citrix XenApp 6.0/6.5 (for Windows Server 2008 R2 Terminal Services, 32/64-bit), Citrix XenApp 6.0/6.5/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenApp 7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Terminal Services, 32/64-bit), Citrix XenDesktop 5.6/7.0/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenDesktop 7.0/7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), Novell NetWare 6.5/SP8 Novell Clients <a href="http://www.novell.com/iprint">http://www.novell.com/iprint</a> , Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers <a href="http://www.novell.com/iprint">http://www.novell.com/iprint</a> , Windows Server 2003/2003 R2 32/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2), Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services), Windows Server 2016/ 64-bit Standard/ Essential/Datacenter (+ Cluster & Terminal Services) |
| <b>Minimum system requirements</b>          | <b>Windows:</b> 2 GB available hard disk space; OS hardware requirements see <a href="http://www.microsoft.com">http://www.microsoft.com</a> ;<br><b>Mac:</b> 1.3 GB available hard drive space; Internet; OS hardware requirements see <a href="http://www.Apple.com">http://www.Apple.com</a> for more info  |
| <b>Software included</b>                    | HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to <a href="http://www.123.HP.com">http://www.123.HP.com</a> or OS App Source for printer software), Online user manuals  |
| <b>Security management</b>                  | Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key, and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs  |
| <b>Printer management</b>                   | HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver   |

|  |  |
|--|--|
| <b>Model</b>                             | <b>HP Color LaserJet Enterprise Flow MFP M682z</b>   |
| <b>Product number</b>                    | J8A17A   |
| <b>Dimensions and Weight</b>             |  |
| Printer dimensions (W x D x H)           | <b>Minimum:</b> 657 x 657 x 1270 mm; <b>Maximum:</b> 992 x 967 x 1529 mm   |
| Package dimensions (W x D x H)           | 856 x 760 x 1684 mm  |
| Printer weight <sup>7</sup>              | 76.3 kg  |
| Package weight                           | 96.4 kg  |
| <b>Operating environment</b>             | <b>Temperature:</b> 15 to 30°C, <b>Humidity:</b> 30 to 70% RH  |
| <b>Storage</b>                           | <b>Temperature:</b> -20 to 40°C, <b>Humidity:</b> 10 to 90% RH   |
| <b>Acoustics</b>                         | <b>Acoustic power emissions:</b> 6.8 B(A), <b>Acoustic pressure emissions:</b> 53 dB(A)  |
| <b>Power<sup>8</sup></b>                 | <b>Requirements:</b> Input voltage: 220 V to 240V nominal, (+/-10%) 50 - 60Hz nominal (+/- 3Hz), 6 A; <b>Consumption<sup>9</sup>:</b> 900 watts (printing/copying), 47 watts (ready), 0.9 watts (sleep), 0.9 watts (Auto Off/Manual On), 0.1 (Manual Off); <b>Typical Electricity Consumption (TEC)<sup>10</sup>:</b> Energy Star: 2.72 kWh/Week; Blue Angel: 2.68 kWh/Week; <b>Power supply type:</b> Built in 220 V Power Supply |
| <b>Energy savings feature technology</b> | HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy   |
| <b>Certifications</b>                    | CISPR 22:2008 (International) - Class A, CISPR 32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EN 301 489-1 V1.9.2, EN 301 489-17 V2.2.1, EN 301 489-3 V1.6.1, EMC Directive 2014/30/EU, other EMC approvals as required by individual countries<br>ENERGY STAR <sup>®</sup> qualified; Blue Angel; CECP; EPEAT <sup>®</sup> Silver                          |
| <b>What's in the box<sup>11</sup></b>    | HP Colour LaserJet Enterprise Flow MFP M682z Printer; HP Black Original LaserJet Toner Cartridge (12,500 pages), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (10,500 pages each - toner cartridges installed); CD with software drivers and documentation; Documentation (hardware install guide); Power cord   |
| <b>Warranty</b>                          | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to <a href="http://hp.com/support">http://hp.com/support</a> to learn about HP award winning service and support options in your region.  |

#### Footnotes

- <sup>1</sup> Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit [hp.com/go/PrintersThatProtect](http://hp.com/go/PrintersThatProtect). For more information: [hp.com/go/printersecurityclaims](http://hp.com/go/printersecurityclaims).
- <sup>2</sup> HP Web Jetadmin is available for download at no additional charge at [hp.com/go/webjetadmin](http://hp.com/go/webjetadmin).
- <sup>3</sup> Scan speed measured from ADF at default 300 dpi (black-and-white, greyscale, and colour). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- <sup>4</sup> Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.
- <sup>5</sup> Energy claim based on TEC data reported on [energystar.gov](http://energystar.gov) as of January 2017. Data normalised to determine energy efficiency of in-class laser printers with published speed of 50 to 60 ppm. Subject to device settings. Actual results may vary.
- <sup>6</sup> More pages versus predecessor cartridges claim based on page-yield comparison of HP 653X High Yield Color Original LaserJet Toner Cartridges with HP 657X High Yield Color Original LaserJet Toner Cartridges. For more information, see [hp.com/go/learnaboutsupplies](http://hp.com/go/learnaboutsupplies).
- <sup>7</sup> HP 657X High Yield Original LaserJet Toner Cartridges not included; please purchase separately.

#### Technical specifications disclaimers

- <sup>1</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>2</sup> Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>3</sup> First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application and document complexity.
- <sup>4</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- <sup>5</sup> Scan software not included in box. HP Scan and TWAIN driver available for download at <http://hp.com/support>.
- <sup>6</sup> High-Performance Secure Hard Disk (AES 256 hardware encryption or greater); Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk).
- <sup>7</sup> With print cartridges.
- <sup>8</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
- <sup>9</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.
- <sup>10</sup> Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.
- <sup>11</sup> Cartridges included; Yields 10,500 colour (C/Y/M) and 12,500 black pages. Pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>. Pages may vary based on customer printing conditions and usage.



<http://www.hp.com/uk>

The product could differ from the images shown. © Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

