# **DOOR / WINDOW SENSOR**

CONTACT & TEMPERATURE SENSOR



Quick Start Guide








Scan the code to read the manual

## Support

If you need help configuring the FIBARO Door/Window Sensor, take advantage of our guides and technical manuals available at: manuals.fibaro.com/en/hk-door-window-sensor

### **Package Contents**

Every Door/Window Sensor has a unique ID, the HomeKit Setup Code. You will find the setup code on back cover of the Quick Start Guide.



## **FIBARO** app

Download FIBARO application from the App Store.





homekit.fibaro.com/app



#### First launch

Step 1
Take off the cover





## Step 2

Remove the battery blocker and check if the battery is placed correctly



## Step 3

Close the cover



#### First launch

#### Step 4

Open the FIBARO app and tap Add accessory icon

#### Step 5

Application will guide you through the pairing process



If you have already set up another accessory tap icon +




Fig. 5

#### First launch

#### Step 6

Peel off protective layer from the sensor and magnet



\* you can also install device with screws (not included)

#### Step 7

Stick the sensor onto the frame and magnet onto the moving part of the door/window (no further than 5 mm from the sensor)




Fig. 7

#### i ig. c

#### Resetting the Door/Window Sensor to factory defaults:

- 1. Open the cover
- 2. Press the button 3 times then press and hold the button



- 3. When the LED glows, release the button
- 4. Click the button again to confirm

HomeKit Setup Code is needed to securely add accessory to your home. You may need it in case of re-pairing.

Remember to keep it in safe place. Nobody but you has a copy. FIBARO cannot recover the HomeKit setup code for you.

Room: .....

Write down the location of the device.

© Fibar Group S.A. All rights reserved Made in Poland www.fibaro.com