

Data Sheet

Fujitsu Display L22T-3 LED Display

All-round display: 54.6 cm (21.5-inch) widescreen
Ease of use

The L22T-3 LED comes in a 16:9 format with a trendy style. There is no compromise in picture quality and energy efficiency. It is the best choice to get Full HD resolution with office desk space. It is easy-to-use and once it is installed you never have to adjust it again - proven Fujitsu quality.


Environment-friendly LED technology with unique, high efficient energy saving solutions like ECO operation mode and ECO standby

1920 x 1080 high resolution for pin sharp pictures with modern 16:9 format applications

Proven ECO friendliness with TCO Display 5.1, ENERGY STAR® 5.0 and EPEAT silver certificate

Due to integrated speakers no further accessories needed

Prepared for backpack solution with FUTRO thin clients and ESPRIMO Q Mini PC



Technical details

Special features

LED backlight panel, ECO Status LED: 3 colors for 3 modes

Stand details

Stand removable

Tilt angle -4° / +18°

Picture performance

Contrast - typical 1,000:1

Contrast - advanced 5,000,000:1

Response time typical 5 ms

Viewing angle (h/v) - typical 170°/160°

Color performance 16.7 million colors (Hi-FRC)

Brightness - typical 250 cd/m

Size and resolution

Aspect ratio 16:9

Diagonal Size 54.6 cm (21.5-inch)

Resolution (native) 1920 x 1080 pixel (recommended)

Resolution (interpolated) 1680 x 1050 pixel, 1600 x 900 pixel, 1440 x 900 pixel, 1366 x 768 pixel, 1280 x 1024 pixel, 1280 x 800 pixel, 1280 x 720 pixel, 1024 x 768 pixel, 800 x 600 pixel, 720 x 400 pixel, 640 x 480 pixel

Video modes 1080i/p, 720i/p, 576i/p, 480i/p

Picture size 476.6 mm x 268.1 mm

Pixel Pitch 0.248 mm

Frequencies

Horizontal 30 kHz to 82 kHz

Horizontal analog 165 Mhz

Horizontal digital 165 Mhz

Vertical 56 - 76 Hz

Connectivity

DVI 1 x DVI (HDCP)

VGA/D-SUB 1 x D-SUB

Audio signal input 3.5 mm stereo phone jack

Audio sound output 2 x 2.0 W

OSD Languages and setting options

Languages Turkish, Arabic, Czech, Danish, Dutch, English, Finnish, French, German, Italian, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish

Brightness / Contrast Brightness, Contrast, Black level, Auto level

Color 6500K, 7500K, 9300K, Native, sRGB, Custom Color

Image adjust H-Position, V-Position, Sharpness, Clock, Phase

Audio Mute, Volume

Information Resolution/mode, Signal input

Setup Input select, Language, DDC-CI, OSD-Timeout, Factory recall

Power consumption (typical, w/o sound)

Soft switch off 0.39 W

Power save mode 0.41 W

Operating with EPA settings 18.9 W

Operating maximum brightness 22.7 W

Electrical values

Rated voltage range 100 V - 240 V

Rated frequency range 50 Hz - 60 Hz

Protection class 1

Compliance

Europe	CE, TCO Displays 5.2
Russia	GOST
USA/Canada	FCC Class B, cUL
Saudi Arabia	SASO
Global	ENERGY STAR® 5.0, ISO9241-307 (Pixel fault class I), EPEAT® Silver (dedicated regions)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx

Quality and Reliability

MTBF (demonstrated)	50.000 h
---------------------	----------

Dimensions / Weight / Environmental

Dimension without stand (W x D x H)	505.6 x 50.9 x 312.2 mm
Dimension with stand (W x D x H)	505.6 x 179.8 x 365.8 mm
Weight (packed)	5.2 kg
Weight (unpacked)	3.5 kg
Operating ambient temperature	5 - 35°C

Miscellaneous

Miscellaneous	VESA DDC/ CI, Standardized mounting interface VESA FP MP MI 100 mm, Kensington lock
---------------	---

Package content

Display delivered accessories	Data cable 1.8 m, D-SUB (15-pin), Audio cable 1.8 m, Power cable for wall socket (Euro-Schuko-Type CEE7) 1.8 m, User manual, Warranty booklet, Quickstart flyer
-------------------------------	---

Order information

Order Code	S26361-K1419-V160
EAN-No.	4051554243906

Warranty

Standard Warranty	3 years
Service level	Collect & Return Service (depending on country)
Spare Parts availability	5 years
Service Weblink	http://ts.fujitsu.com/Supportservice

More information

Fujitsu platform solutions

In addition to Fujitsu Display L22T-3 LED, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu Display L22T-3 LED, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
<http://ts.fujitsu.com/displays>

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

Contact

FUJITSU Technology Solutions
Website: <http://ts.fujitsu.com>
2011-12-01 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions