

RUTX10

NEXT GENERATION ENTERPRISE ROUTER

This device is equipped with Dual-Band AC WiFi, Quad-core CPU, 256 MB of RAM and 4 x Gigabit Ethernet ports. Powerful hardware combined with all advanced RutOS software and security features make this device a great performer as a fast, secure and reliable Enterprise router.



ADVANCED

IoT ready with Bluetooth LE

High processing power

Convenient router access via Remote

Management System

ROBUST

Durable aluminium housing
Wide voltage range (9-50 V)
External temperature range (-40 +75 °C)


SECURE


Multiple VPN options

Advanced firewall functionality

Advanced WiFi encryption







Hardware

CPU	Quad Core ARM Cortex A7 717 MHz CPU
Memory	256 MBytes Flash, 256 MBytes DDR3 RAM
Ethernet	4 x 1 Gbit Ethernet ports: 1 x WAN (configurable as LAN), 3 x LAN
WiFi	802.11ac (WiFi 5) with data transmission rates up to 867 Mbps.
Power supply	9 - 50 VDC, 4 pin DC connector
Connectors	1 x 4 pin DC, 4 x Ethernet, 2 x WiFi RP-SMA, 1 x BT SMA
Status LEDs	1 x Power, 2 x WiFi band status, 8 x Ethernet status
Operating temperature	-40 °C to 75 °C
Housing	Full aluminium with grounding terminal
Dimensions	115 mm x 95 mm x 32 mm
Weight	357 g

Software

Network protocols	TCP, UDP, IPv4, IPv6, ICMP, NTP, DHCP, DNS, HTTP, HTTPS, SMTP, SSL v3, TLS, ARP, PPPoE, UPNP, SSH, Telnet
Networking features	NAT, Static/Dynamic routing, Firewall, H.232 and SIP-alg protocol NAT helpers, allowing proper routing of VoIP packets
Unique networking features	VLAN, WEB Filter, Load Balancing, Network Backup
Connection monitoring	Ping Reboot, Periodic Reboot, Wget Reboot, LCP and ICMP for link inspection
Authetication	Pre-shared key, digital certificates, X.509 certificates
Keep settings	Update FW without losing current configuration
Monitoring & Management	WEB UI, SSH, SNMP, JSON-RPC, FOTA, RMS
Supported languages	Busybox shell, Lua, C, C++