

x4 PCI Express to M.2 PCIe SSD Adapter

StarTech ID: PEX4M2E1



Get ultra-fast data access by adding a PCIe M.2 SSD to your existing computer. This adapter lets you add a high-speed, 4-lane M.2 SSD (PCIe-based), such as a Samsung 950 Pro or Samsung SM 951, to a PC with an available x4 PCI Express expansion slot. You can mount the PCIe M.2 drive directly onto the adapter, giving you an easy and convenient way to improve your system performance and expand overall internal storage.

Boost your system speed and performance

The expansion card lets you take full advantage of the fast performance and compact size of PCIe M.2 internal solid-state drives. The adapter connects directly to your computer motherboard to support an M.2 PCIe-based SSD (NVMe or AHCI) through ultra-fast x4 PCIe. The adapter is compatible with PCIe 3.0 motherboards and is also backward compatible with PCIe 2.0 and PCIe 1.0. With the M.2 PCIe based drive in place, the adapter gives your computer a significant speed boost.

Supports PCIe M.2 SSDs

The adapter supports PCIe 3.0 x4 NVMe (M Key) and PCIe-AHCI M.2 SSDs including 2242, 2260, 2280, and 22110 drives. The expansion slot adapter supports the most common drive sizes including 110 mm, 80 mm, 60 mm and 42 mm.

Easy to install

The expansion card is equipped with a full-profile bracket and includes a half-height/low-profile bracket, for installation in small form-factor computers.

The PEX4M2E1 is backed by a StarTech.com 2-year warranty and free lifetime technical support.





Applications

- Connect a PCIe M.2 SSD to your computer through an available x4 PCI Express expansion slot to boost system speed and increase internal data storage
- Get ultra-fast data access, ideal for gaming or high-performance workstations
- Install your operating system on an M.2 PCIe based drive for fast access, while keeping larger platter drives available for bulk storage

Features

- Boost system speed and performance by adding a PCIe M.2 SSD to your PC
- Supports PCIe M.2 SSDs (NVMe and AHCI): 2242, 2260, 2280, and 22110 drives
- Compatible with PCIe 3.0 motherboards, and backward compatible with PCIe 2.0 and PCIe 1.0
- Fast and easy setup with native OS support
- Installs into x4, x8 or x16 PCle slots
- Equipped with a full-profile bracket, and includes a half-height/low-profile bracket for installation in small form-factor computers



Technical Specifications

Warranty 2 Years

Bus Type PCI Express

Compatible Drive Types (Type and Rate) M.2 (NGFF; M-Key; PCIe x4)

Drive Installation Fixed

Drive Size 22m - M.2 NGFF Interface PCI Express

Number of Drives 1

Supported Drive Height(s) 2242
Supported Drive Height(s) 2260
Supported Drive Height(s) 2280
Supported Drive Height(s) 22110
Hot Swap Capability No

Drive Connectors 1 - M.2 (NGFF; M-Key; PCIe x4)

Host Connectors 1 - PCI Express x4 Male

OS Compatibility

OS independent; No software or drivers required

1 - Pin header on board for drive LED connection

Humidity 15% ~ 90% RH

Operating Temperature 5°C to 50°C (41°F to 122°F)
Storage Temperature -25°C to 70°C (-13°F to 158°F)

Color Red

Max Drive Height 4.3 in [110 mm]
Product Height 7.2 in [184 mm]
Product Length 7 in [179 mm]
Product Weight 1.6 oz [46 g]
Product Width 4.8 in [121 mm]
Shipping (Package) Weight 5.3 oz [150 g]

Included in Package 1 - x4 PCI Express® to M.2 PCIe SSD Adapter

Included in Package 1 - low-profile bracket

Included in Package 1 - full-profile bracket (pre-installed)
Included in Package 1 - SSD standoff and installation screw

Included in Package 1 - quick start guide





Certifications, Reports and Compatibility









